MONTANA

ANNUAL LOADOMETER SURVEY

AUGUST 1953

STATE HIGHWAY COMMISSION
HIGHWAY PLANNING SURVEY

IN COOPERATION WITH

U. S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS

NOVEMBER 1953

Montana State Library
3 0864 1006 4235 7

INTRODUCTION

During recent years it has become increasingly important to all Highway Design Departments to have accurate data available on truck loading trends.

In an endeavor to keep these trend data on truck loadings current, the Montana Highway Planning Survey has conducted weighing operations without regard to statutory limits or enforcement during August of every year since 1942.

The tables W-1 through W-6 summarize the data collected during August 1953 and compare them with similar data for 1952. The first tabulation preceding the regular "W" tables summarizes all overloads in excess of Montana State Laws. It will be noted that the number of overloads on axle spacings has declined in comparison to 1952 due primarily to the increase in load limits on certain axle groups which was granted by the 1953 legislature.

The following stations were operated during August of 1953:

STATION NUMBER	DESCRIPTION
1	Junction of US 10 and 91 West of Butte
2	Junction of US 12 and 310 South of Laurel
3	US 10 West of Laurel
4	Junction of US 10 and 12 East of Miles City
5	Junction of US 2 and Mont. 16 North of Culbertson
6	US 2 West of Glasgow
7	US 89 and 91 West of Great Falls
8	Junction of US 2 and 91 West of Shelby
9	US 2 East of Kalispell
10	Junction of US 10 and 93 West of Missoula
11	US 10 West of Drummond

LOADINGS IN EXCESS OF MONTANA STATE LAW BY AXLES
AND AXLE GROUPS FOR VARIOUS TYPES OF COMMERCIAL VEHICLES
AUGUST 1953

VEHICLE TYPE	ALL VEHICLES		LOADED VEHICLES								GROSS VEHICLE WEIGHT LAW	
				*ALL OVERLOADS		AXLE OVERLOADS			AXLE SPACING			
	COUNTED	WEIGHED	NUMBER WEIGHED	NUMBER OVERLOADED	PERCENT OVERLOADED	NUMBER OVERLOADED	MAXIMUM PERCENT OVERLOADED	AVERAGE PERCENT OVERLOADED	MAXIMUM PERCENT OVERLOADED	AVERAGE PERCENT OVERLOADED	NUMBER VIOLATIONS	PERCENT OF LOADED TRUCKS
SINGLE UNITS												
PANELS AND PICKUPS	2035	544	250								7	2.8
OTHER 2 AXLE 4-TIRED	117	79	47								2	4.3
OTHER 2 AXLE 6-TIRED	1381	1048	663	17	2.6	17	15.6	5.0			34	5.1
3 AXLE	120	112	69	4	5.8	3	3.3	1.9	14.7	7.4	3	4.3
TRACTOR-SEMI-COMBINATIONS												
3 AXLE	232	218	146	6	4.1	7	16.7	7.0			7	4.8
4 AXLE	165	151	110	30	27.3	26	32.8	7.9	25.6	4.9	7	6.4
5 AXLE OR MORE	329	310	225	17	7.6	6	7.8	4.7	25.6	6.6	6	2.7
TRUCK-FULL TRAILER COMB.												
4 AXLE OR LESS	34	31	16	2	12.5	2	3.9	2.5			1	6.3
5 AXLE	251	243	137	68	49.6	10	7.2	2.3	6.3	2.6	10	7.3
6 AXLE OR MORE	56	55	48	1	2.1				4.5	4.5	6	12.5
TOTALS	4720	2791	1711	145	8.5	71					83	4.9

*Includes axle spacing and axle overloads but does not include Gross Vehicle Weight Law Violations. Vehicles violating statutes on both axle load and load concentration were only counted once.

TABLE W-1

STATE OF MONTANA

LOCATION AND TIME OF OPERATION OF EACH LOADOMETER STATION, SHOWING NUMBER OF VEHICLES COUNTED AND WEIGHED AT EACH BY TYPE DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952

STATION NUMBER	ROUTE NUMBER	DESCRIPTION OF STATION LOCATION	YEAR	MONTH & DAY	DAY OF WEEK	HOURS	VEHICLES COUNTED													TRUCKS & COMBINATIONS WEIGHED									
							PASSENGER CARS		BUSSES	SINGLE UNIT TRUCKS				TRACTOR SEMI-TR			OTHER COMBINATIONS			SINGLE UNITS				TRACTOR SEMI-TR			OTHER COMBINATIONS		
							LOCAL	FOREIGN		PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE	PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE
1	US 10 & 91	East Leg of Junction US 10 & 91 west of Butte	53	8-6	Thurs.	6-2	1168	725	18	176	4	66	4	15	13	24	-	5	4	8	2	58	4	15	13	24	-	5	4
				8-3	Mon.	2-10	1433	617	16	131	3	69	8	6	4	24	-	5	7	7	2	42	5	6	2	24	-	4	6
				8-4	Tues.	10-6	502	92	12	40	-	9	1	5	2	25	3	4	3	3	-	3	1	5	1	25	2	4	3
				Total			3105	1434	46	347	7	144	13	26	19	73	3	14	14	18	4	103	10	26	16	73	2	13	13
			52	7-31	Thurs.	6-2	1062	659	18	174	24	86	5	9	9	14	1	7	-	16	3	50	3	7	6	13	1	7	-
				7-30	Wed.	2-10	1763	588	21	182	2	58	4	5	3	14	-	3	-	13	2	24	1	5	3	14	-	3	-
				8-1	Fri.	10-6	478	109	18	49	2	6	-	4	4	15	1	4	4	4	-	4	-	4	4	13	-	4	4
				Total			3303	1356	57	405	28	150	9	18	16	43	2	14	4	33	5	78	4	16	13	40	1	14	4
2	US 12 & 310	North Leg of Junction US 12 & 310 near Rockvale	53	8-10	Mon.	6-2	453	418	4	131	7	91	3	10	6	8	5	9	-	26	7	63	3	9	5	7	5	9	-
				8-7	Fri.	2-10	575	369	5	77	2	67	-	11	2	5	2	5	-	22	2	44	-	11	2	5	1	5	-
				Total			1028	787	9	208	9	158	3	21	8	13	7	14	-	48	9	107	3	20	7	12	6	14	-
			52	8-4	Mon.	6-2	415	382	5	93	5	72	7	11	12	6	4	2	-	30	5	50	7	11	11	6	4	2	-
				8-5	Tues.	2-10	470	324	9	88	10	49	2	20	11	6	4	10	-	28	5	38	2	20	11	6	4	9	-
				Total			885	706	14	181	15	121	9	31	23	12	8	12	-	58	10	88	9	31	22	12	8	11	-
3	US 10	US 10 Just west of Laurel	53	8-12	Wed.	6-2	493	384	7	83	9	52	3	11	11	20	2	12	3	11	5	24	3	11	11	19	1	11	3
				8-11	Tues.	2-10	678	407	3	96	3	54	-	8	7	28	6	34	2	22	3	33	-	8	6	26	6	33	2
				Total			1171	791	10	179	12	106	3	19	18	48	8	46	5	33	8	57	3	19	17	45	7	44	5
			52	8-7	Thurs.	6-2	498	395	10	108	3	69	5	12	7	11	4	9	-	24	3	53	3	11	6	11	2	7	-
				8-6	Wed.	2-10	590	335	4	92	4	44	-	6	9	19	6	21	-	31	1	39	-	5	9	17	6	21	-
				Total			1088	730	14	200	7	113	5	18	16	30	10	30	-	55	4	92	3	16	15	28	8	28	-
4	US 10 & 12	Southwest Leg Junction US 10 & 12 East of Miles City	53	8-14	Fri.	6-2	298	398	7	86	7	61	3	11	11	11	8	20	3	24	1	37	2	11	11	10	8	19	3
				8-13	Thurs.	2-10	725	353	5	77	7	52	6	15	11	21	5	11	3	16	-	32	6	15	11	19	5	11	3
				Total			1023	751	12	163	14	113	9	26	22	32	13	31	6	40	1	69	8	26	22	29	13	30	6
			52	8-11	Mon.	6-2	462	551	4	88	11	73	3	16	17	9	9	12	5	13	4	54	1	15	17	8	9	10	5
				8-8	Fri.	2-10	927	616	7	103	6	59	1	14	10	14	10	15	7	9	6	26	1	13	10	14	9	14	7
				Total			1389	1167	11	191	17	132	4	30	27	23	19	27	12	22	10	80	2	28	27	22	18	24	12

TABLE W-1

STATE OF MONTANA

LOCATION AND TIME OF OPERATION OF EACH LOADOMETER STATION, SHOWING NUMBER OF VEHICLES COUNTED AND WEIGHED AT EACH BY TYPE DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952

STATION NUMBER	ROUTE NUMBER	DESCRIPTION OF STATION LOCATION	YEAR	MONTH & DAY	DAY OF WEEK	HOURS	VEHICLES COUNTED												TRUCKS & COMBINATIONS WEIGHED									
							PASSENGER CARS		BUSSES	SINGLE UNIT TRUCKS				TRACTOR SEMI-TR			OTHER COMBINATIONS			SINGLE UNITS				TRACTOR SEMI-TR			OTHER COMBINATIONS		
							LOCAL	FOREIGN		PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE	PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE
5	US 2	East Leg Junction US 2 & Montana 16 near Culbertson	53	8-18	Tues.	6-2	205	317	6	67	1	50	8	17	8	6	1	5	-	11	1	43	8	17	8	6	1	5	-
				8-17	Mon.	2-10	202	185	1	49	3	83	4	6	9	2	-	2	-	19	3	71	4	6	8	2	-	2	-
				Total			407	502	7	116	4	133	12	23	17	8	1	7	-	30	4	114	12	23	16	8	1	7	-
			52	8-13	Wed.	6-2	125	344	2	37	4	45	-	12	7	3	2	6	-	24	3	40	-	12	7	3	2	6	-
				8-12	Tues.	2-10	217	311	1	46	3	55	2	15	5	6	2	-	-	18	-	52	2	15	5	6	2	-	-
				Total			342	655	3	83	7	100	2	27	12	9	4	6	-	42	3	92	2	27	12	9	4	6	-
6	US 2	US 2 Just West of Glasgow	53	8-20	Thurs.	6-2	320	398	-	107	3	83	-	5	10	19	1	9	-	22	3	57	-	5	10	9	1	8	-
				8-19	Wed.	2-10	497	310	1	87	1	60	-	18	5	7	-	1	-	9	1	50	-	16	5	7	-	1	-
				Total			817	708	1	194	4	143	-	23	15	26	1	10	-	31	4	107	-	21	15	16	1	9	-
			52	8-15	Fri.	6-2	326	421	-	132	11	84	2	8	4	4	5	4	-	12	8	70	2	7	4	4	5	4	-
				8-14	Thurs.	2-10	445	418	2	113	16	62	1	4	2	4	3	2	-	22	8	62	1	4	2	4	2	1	-
				Total			771	839	2	245	27	146	3	12	6	8	8	6	-	34	16	132	3	11	6	8	7	5	-
7	US 89 & 91	US 89 & 91 Approx. 1.1 miles west of Great Falls	53	8-21	Fri.	6-2	662	380	10	138	9	96	21	9	2	10	1	16	1	85	9	84	21	7	2	10	1	16	1
				8-25	Tues.	2-10	765	315	4	137	5	70	8	6	3	6	-	17	1	59	5	70	8	6	2	6	-	16	1
				8-24	Mon.	10-6	176	48	-	21	2	20	2	-	7	4	-	9	1	4	2	11	2	-	5	4	-	9	1
				Total			1603	743	14	296	16	186	31	15	12	20	1	42	3	148	16	165	31	13	9	20	1	41	3
			52	8-20	Wed.	6-2	635	328	8	135	32	149	3	5	9	11	2	10	2	61	8	139	3	5	9	11	2	8	2
				8-19	Tues.	2-10	776	357	3	119	25	96	7	6	7	8	1	14	3	36	3	71	6	6	6	8	-	12	1
				8-18	Mon.	10-6	145	44	-	17	2	11	1	2	7	6	-	15	4	7	1	10	1	1	7	6	-	15	4
				Total			1556	729	11	271	59	256	11	13	23	25	3	39	9	104	12	220	10	12	22	25	2	35	7
8	US 2	West Leg Junction of US 2 & 91 West of Shelby	53	8-27	Thurs.	6-2	107	99	-	31	3	24	5	6	7	4	-	5	1	12	3	21	4	5	5	4	-	5	1
				8-26	Wed.	2-10	149	72	2	28	2	48	6	7	4	5	-	10	-	7	2	42	4	6	4	5	-	10	-
				Total			256	171	2	59	5	72	11	13	11	9	-	15	1	19	5	63	8	11	9	9	-	15	1
			52	8-21	Thurs.	6-2	199	302	4	62	13	49	4	2	4	5	1	9	-	23	3	43	4	2	4	4	1	9	-
				8-22	Fri.	2-10	266	254	2	46	10	47	1	5	3	5	-	10	6	17	1	45	1	5	3	5	-	10	6
				Total			465	556	6	108	23	96	5	7	7	10	1	19	6	40	4	88	5	7	7	9	1	19	6

TABLE W-1

STATE OF MONTANA

LOCATION AND TIME OF OPERATION OF EACH LOADOMETER STATION, SHOWING NUMBER OF VEHICLES COUNTED AND WEIGHED AT EACH BY TYPE DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952

STATION NUMBER	ROUTE NUMBER	DESCRIPTION OF STATION LOCATION	YEAR	MONTH & DAY	DAY OF WEEK	HOURS	VEHICLES COUNTED													TRUCKS & COMBINATIONS WEIGHED									
							PASSENGER CARS		BUSSES	SINGLE UNIT TRUCKS				TRACTOR SEMI-TR			OTHER COMBINATIONS			SINGLE UNITS				TRACTOR SEMI-TR			OTHER COMBINATIONS		
							LOCAL	FOREIGN		PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE	PANEL & PICK-UP	OTHER 4-TIRED	OTHER 6-TIRED	3-AXLE	3-AXLE	4-AXLE	5-AXLE OR MORE	4-AXLE OR LESS	5-AXLE	6-AXLE OR MORE
9	US 2	US 2 Approx. 5.0 miles east of Kalispell	53	8-31	Mon.	6-2	471	316	2	123	14	89	4	7	5	2	-	7	1	113	13	89	4	6	4	2	-	7	1
				8-28	Fri.	2-10	617	416	4	81	8	45	9	3	6	7	-	4	-	32	5	41	9	2	4	7	-	4	-
				Total			1088	732	6	204	22	134	13	10	11	9	-	11	1	145	18	130	13	8	8	9	-	11	1
			52	8-26	Tues.	6-2	545	468	4	140	25	105	10	1	4	3	-	9	2	71	14	99	10	1	4	3	-	9	2
				8-25	Mon.	2-10	774	452	4	143	15	100	12	6	3	4	-	5	2	45	7	93	12	6	3	4	-	5	2
				Total			1319	920	8	283	40	205	22	7	7	7	-	14	4	116	21	192	22	7	7	7	-	14	4
10	US 10 & US 93	Southeast Leg of Junction US 10 & US 93 west of Missoula	53	9-2	Wed.	6-2	358	372	8	87	5	69	9	15	6	23	-	16	4	2	1	48	9	15	6	23	-	16	4
				9-1	Tues.	2-10	418	480	9	38	15	53	7	13	10	26	-	8	8	3	5	33	6	11	10	26	-	7	8
				Total			776	852	17	125	20	122	16	28	16	49	-	24	12	5	6	81	15	26	16	49	-	23	12
			52	8-28	Thurs.	6-2	577	935	10	140	24	154	14	14	7	20	-	12	2	28	8	99	12	11	4	17	-	11	2
				8-27	Wed.	2-10	681	812	9	99	10	101	13	9	6	18	2	5	11	7	1	66	11	8	5	18	1	4	8
				Total			1258	1747	19	239	34	255	27	23	13	38	2	17	13	35	9	165	23	19	9	35	1	15	10
11	US 10	US 10 Just West of Drummond	53	9-4	Fri.	6-2	597	508	6	80	4	40	3	6	7	17	-	27	7	17	4	24	3	6	7	17	-	26	7
				9-3	Thurs.	2-10	644	414	7	64	-	30	6	22	9	25	-	10	7	10	-	28	6	19	9	23	-	10	7
				Total			1241	922	13	144	4	70	9	28	16	42	-	37	14	27	4	52	9	25	16	40	-	36	14
			52	8-29	Fri.	6-2	411	800	8	69	5	37	4	11	7	17	-	26	4	13	-	26	4	11	7	17	-	25	4
				8-29	Fri.	2-10	798	692	11	89	9	51	-	15	7	19	2	13	7	10	-	36	-	15	7	19	2	13	7
				Total			1209	1492	19	158	14	88	4	26	14	36	2	39	11	23	-	62	4	26	14	36	2	38	11
		TOTAL OF 11 STATIONS	53				12515	8393	137	2035	117	1381	120	232	165	329	34	251	56	544	79	1048	112	218	151	310	31	243	55
			52				13585	10898	164	2364	271	1662	101	212	164	241	59	223	59	562	94	1289	87	200	154	231	52	209	54

TABLE W-2

STATE OF MONTANA

NUMBER AND PERCENTAGE OF VEHICLES OF EACH TYPE COUNTED AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952

TYPE OF VEHICLE	NUMBER COUNTED DURING PERIOD			PERCENTAGE OF TOTAL NUMBER OF VEHICLES			PERCENTAGE OF TOTAL NUMBER OF TRUCKS AND COMBINATIONS			TRUCKS AND COMBINATIONS WEIGHED		PERCENTAGE WEIGHED OF TOTAL COUNTED BY TYPES	
	1953	1952	1953:1952	1953	1952	1953:1952	1953	1952	1953:1952	1953	1952	1953	1952
PASSENGER CARS													
LOCAL	12515	13585	0.9212	48.57	45.28	1.0727	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
FOREIGN	8393	10898	0.7701	32.58	36.32	0.8970	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
SUBTOTAL PASSENGER CARS	20908	24483	0.8540	81.15	81.60	0.9945	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
TRUCKS, SINGLE-UNIT													
PANEL AND PICKUP (UNDER 1½ TONS)	2035	2364	0.8608	7.90	7.88	1.0025	43.11	44.14	0.9767	544	562	26.73	23.77
OTHER 2 AXLE, 4-TIRED	117	271	0.4317	0.45	0.90	0.5000	2.48	5.06	0.4901	79	94	67.52	34.69
OTHER 2 AXLE, 6-TIRED	1381	1662	0.8309	5.36	5.54	0.9675	29.26	31.03	0.9430	1048	1289	75.89	77.56
3 AXLE	120	101	1.1881	0.47	0.34	1.3824	2.54	1.88	1.3511	112	87	93.33	86.14
SUBTOTAL SINGLE-UNIT	3653	4398	0.8306	14.18	14.66	0.9673	77.39	82.11	0.9425	1783	2032	48.81	46.20
TRACTOR-SEMITRAILER COMBINATIONS													
3 AXLE	232	212	1.0943	0.90	0.71	1.2676	4.91	3.96	1.2399	218	200	93.97	94.34
4 AXLE	165	164	1.0061	0.64	0.55	1.1636	3.50	3.06	1.1438	151	154	91.52	93.90
5 AXLE OR MORE	329	241	1.3651	1.28	0.80	1.6000	6.97	4.50	1.5489	310	231	94.22	95.85
SUBTOTAL TRACTOR-SEMITRAILER COMBINATIONS	726	617	1.1767	2.82	2.06	1.3689	15.38	11.52	1.3351	679	585	93.53	94.81
COMBINATIONS INVOLVING FULL TRAILERS													
4 AXLE-(1)	34	59	0.5763	0.13	0.20	0.6500	0.72	1.10	0.6545	31	52	91.18	88.14
5 AXLE	251	223	1.1256	0.97	0.74	1.3108	5.32	4.17	1.2758	243	209	96.81	93.72
6 AXLE OR MORE	56	59	0.9492	0.22	0.20	1.1000	1.19	1.10	1.0818	55	54	98.21	91.53
SUBTOTAL TRUCK-TRAILER COMBINATIONS	341	341	1.0000	1.32	1.14	1.1579	7.23	6.37	1.1350	329	315	96.48	92.38
SUBTOTAL ALL COMBINATIONS	1067	958	1.1138	4.14	3.20	1.2938	22.61	17.89	1.2638	1008	900	94.47	93.95
SUBTOTAL TRUCKS & COMBINATIONS	4720	5356	0.8813	18.32	17.86	1.0258	100.00	100.00	1.0000	2791	2932	59.13	54.74
BUSSES	137	164	0.8354	0.53	0.54	0.9815							
TOTAL VEHICLES	25765	30003	0.8587	100.00	100.00	1.0000							

(1) MAY INCLUDE COMBINATIONS OF TRUCK AND ONE-AXLE FULL TRAILER.

TABLE W-3

STATE OF MONTANA

NUMBER OF LOADED AND EMPTY VEHICLES COUNTED, AVERAGE TOTAL WEIGHTS, AND AVERAGE EMPTY WEIGHTS OF TRUCKS AND COMBINATIONS OF EACH TYPE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952.

VEHICLE TYPE AND SURVEY YEAR	LOADED & EMPTY VEHICLES		LOADED VEHICLES			EMPTY VEHICLES		
	NUMBER COUNTED	AVERAGE TOTAL WEIGHT	PERCENT OF TOTAL LOADED AND EMPTY OF EACH TYPE	ESTIMATED NUMBER LOADED	AVERAGE LOADED WEIGHT	PERCENT OF TOTAL LOADED AND EMPTY OF EACH TYPE	ESTIMATED NUMBER LOADED	AVERAGE EMPTY WEIGHT
SINGLE-UNIT TRUCKS, (UNDER 1½ TONS CAPACITY)								
YEAR 1953	2035	4587	45.96	935	5272	54.04	1100	4004
YEAR 1952	2364	4873	49.29	1165	5592	50.71	1199	4174
SINGLE-UNIT TRUCKS, OTHER 2 AXLE, 4-TIRED								
YEAR 1953	117	6370	59.49	70	7181	40.51	47	5178
YEAR 1952	271	6336	60.64	164	7061	39.36	107	5219
SINGLE-UNIT TRUCKS, OTHER 2 AXLE, 6-TIRED								
YEAR 1953	1381	12247	63.26	874	14604	36.74	507	8189
YEAR 1952	1662	12269	60.12	999	15104	39.88	663	7994
SINGLE-UNIT TRUCKS, 3 AXLE								
YEAR 1953	120	23923	61.61	74	29729	38.39	46	14607
YEAR 1952	101	22188	56.32	57	28206	43.68	44	14429
SUBTOTAL, SINGLE-UNIT TRUCKS								
YEAR 1953	3653	8175	53.46	1953	10443	46.54	1700	5571
YEAR 1952	4398	8156	54.23	2385	10218	45.77	2013	5712
TRACTOR-SEMITRAILERS, 3 AXLE								
YEAR 1953	232	26380	66.97	155	30852	33.03	77	17311
YEAR 1952	212	25794	63.50	135	30685	36.50	77	17285
TRACTOR-SEMITRAILERS, 4 AXLE								
YEAR 1953	165	41421	72.85	120	47602	27.15	45	24837
YEAR 1952	164	38985	63.64	104	47916	36.36	60	23355
TRACTOR-SEMITRAILER, 5 AXLE OR MORE								
YEAR 1953	329	47997	72.58	239	54074	27.42	90	31909
YEAR 1952	241	49042	71.43	172	55515	28.57	69	32861
SUBTOTAL, TRACTOR-SEMITRAILER COMBINATIONS								
YEAR 1953	726	39595	70.80	514	45560	29.20	212	25106
YEAR 1952	617	38381	66.61	411	45436	33.39	206	24270

(CONTINUED ON PAGE 7)

TABLE W-3

STATE OF MONTANA

NUMBER OF LOADED AND EMPTY VEHICLES COUNTED, AVERAGE TOTAL WEIGHTS, AND AVERAGE EMPTY WEIGHTS OF TRUCKS AND COMBINATIONS OF EACH TYPE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952.

VEHICLE TYPE AND SURVEY YEAR	LOADED & EMPTY VEHICLES		LOADED VEHICLES			EMPTY VEHICLES		
	NUMBER COUNTED	AVERAGE TOTAL WEIGHT	PERCENT OF TOTAL LOADED AND EMPTY OF EACH TYPE	ESTIMATED NUMBER LOADED	AVERAGE LOADED WEIGHT	PERCENT OF TOTAL LOADED AND EMPTY OF EACH TYPE	ESTIMATED NUMBER LOADED	AVERAGE EMPTY WEIGHT
COMBINATIONS INVOLVING FULL TRAILERS, 4 AXLE (1)								
YEAR 1953	34	41619	51.61	18	56031	48.39	16	26247
YEAR 1952	59	39450	53.85	32	52157	46.15	27	24625
COMBINATIONS INVOLVING FULL TRAILERS, 5 AXLE								
YEAR 1953	251	53935	56.38	142	72775	43.62	109	29585
YEAR 1952	223	51616	51.20	114	72149	48.80	109	30077
COMBINATIONS INVOLVING FULL TRAILERS, 6 AXLES OR MORE								
YEAR 1953	56	58560	87.27	49	61994	12.73	7	35014
YEAR 1952	59	58224	83.33	49	63502	16.67	10	31833
SUBTOTAL, TRUCK-TRAILER COMBINATIONS								
YEAR 1953	341	53467	61.29	209	68805	38.71	132	29468
YEAR 1952	341	50654	57.18	195	66695	42.82	146	29189
SUBTOTAL ALL COMBINATIONS								
YEAR 1953	1067	44028	67.76	723	52280	32.24	344	26780
YEAR 1952	958	42750	63.26	606	52277	36.74	352	26310
TOTAL ALL TYPES								
YEAR 1953	4720	16280	56.69	2676	21746	43.31	2044	9140
YEAR 1952	5356	14344	55.85	2991	18739	44.15	2365	8778

(1) MAY INCLUDE COMBINATIONS OF TRUCK AND ONE AXLE (DOLLY) FULL TRAILERS.

TABLE W-3P

STATE OF MONTANA

AVERAGE LOADED WEIGHT AND AVERAGE EMPTY WEIGHT OF EACH TYPE OF PRIVATELY OPERATED TRUCK AND TRUCK COMBINATIONS AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO SIMILAR DATA FOR 1952.

VEHICLE TYPES	LOADED AND EMPTY VEHICLES COUNTED			LOADED VEHICLES			EMPTY VEHICLES		
	TOTAL ALL COUNTED (PRIVATE AND FOR-HIRE)	PERCENTAGE PRIVATE EACH TYPE	ESTIMATED NUMBER PRIVATE	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE LOADED WEIGHT lbs.	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE EMPTY WEIGHT lbs.
TRUCKS, SINGLE UNITS									
PANELS AND PICKUPS									
1953	2035	99.82	2031	46.04	935	5272	53.96	1096	4004
1952	2364	99.29	2347	49.10	1152	5575	50.90	1195	4174
OTHER 2 AXLE, 4-TIRED									
1953	117	98.73	116	60.26	70	7181	39.74	46	5139
1952	271	100.00	271	60.64	164	7061	39.36	107	5219
OTHER 2 AXLE, 6-TIRED									
1953	1381	94.66	1307	63.81	834	14627	36.19	473	8106
1952	1662	95.50	1587	60.19	955	15143	39.81	632	7951
3 AXLE									
1953	120	90.18	108	61.39	66	30435	38.61	42	14497
1952	101	93.10	94	56.79	53	28146	43.21	41	14317
SUBTOTAL SINGLE UNITS									
1953	3653	97.51	3562	53.48	1905	10310	46.52	1657	5472
1952	4398	97.75	4299	54.06	2324	10126	45.94	1975	5650
TRACTOR SEMITRAILER COMBINATIONS									
3 AXLE									
1953	232	51.38	119	63.39	75	31349	36.61	44	16759
1952	212	49.50	105	55.56	59	32444	44.44	46	17391
4 AXLE									
1953	165	66.89	110	70.30	77	47177	29.70	33	24123
1952	164	61.69	101	57.89	58	48427	42.11	43	22945
5 AXLE OR MORE									
1953	329	42.26	139	61.07	85	59780	38.93	54	31975
1952	241	35.50	86	65.85	57	59589	34.15	29	34218

(CONTINUED ON PAGE 9)

TABLE W-3P

STATE OF MONTANA

AVERAGE LOADED WEIGHT AND AVERAGE EMPTY WEIGHT OF EACH TYPE OF PRIVATELY OPERATED TRUCK AND TRUCK COMBINATIONS AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO SIMILAR DATA FOR 1952.

VEHICLE TYPES	LOADED AND EMPTY VEHICLES COUNTED			LOADED VEHICLES			EMPTY VEHICLES		
	TOTAL ALL COUNTED (PRIVATE AND FOR-HIRE)	PERCENTATE PRIVATE EACH TYPE	ESTIMATED NUMBER PRIVATE	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE LOADED WEIGHT lbs.	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE EMPTY WEIGHT lbs.
SUBTOTAL TRACTOR SEMITRAILER COMBINATIONS									
1953	726	50.69	368	64.40	237	46688	35.60	131	24886
1952	617	47.33	292	59.25	174	46664	40.75	118	23550
COMBINATIONS INVOLVING FULL TRAILERS									
4 AXLE OR LESS(1)									
1953	34	19.35	7	66.67	5	40950	33.33	2	15200
1952	59	15.38	9	100.00	9	34963	0.00		
5 AXLE									
1953	251	18.52	46	60.00	28	70541	40.00	18	31283
1952	223	18.66	42	48.72	20	68616	51.28	22	32365
6 AXLE OR MORE									
1953	56	1.82	1	100.00	1	75700	0.00		
1952	59	1.85	1	100.00	1	62000	0.00		
SUBTOTAL TRUCK-TRAILER COMBINATIONS									
1953	341	15.84	54	62.96	34	66341	37.04	20	29675
1952	341	15.25	52	57.69	30	58300	42.31	22	32365
SUBTOTAL ALL COMBINATIONS									
1953	1067	39.55	422	64.22	271	49154	35.78	151	25520
1952	958	35.91	344	59.30	204	48375	40.70	140	24935
TOTAL ALL TRUCKS AND TRUCK COMBINATIONS									
1953	4720	84.41	3984	54.62	2176	15148	45.38	1808	7146
1952	5356	86.69	4643	54.45	2528	13213	45.55	2115	6927

TABLE W-3F.H. STATE OF MONTANA

TRUCKS AND TRUCK COMBINATIONS OPERATED FOR-HIRE WITH AVERAGE LOADED WEIGHT AND AVERAGE EMPTY WEIGHT OF EACH TYPE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO SIMILAR DATA FOR 1952.

VEHICLE TYPES	LOADED AND EMPTY VEHICLES COUNTED			LOADED VEHICLES			EMPTY VEHICLES		
	TOTAL ALL COUNTED (PRIVATE AND FOR-HIRE)	PERCENTAGE FOR-HIRE EACH TYPE	ESTIMATED NUMBER FOR-HIRE	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE LOADED WEIGHT lbs.	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE EMPTY WEIGHT lbs.
TRUCKS, SINGLE UNITS									
PANELS AND PICKUPS									
1953	2035	0.18	4	0.00			100.00	4	4000
1952	2364	0.71	17	75.00	13	7167	25.00	4	4100
OTHER 2 AXLE, 4-TIRED									
1953	117	1.27	1	0.00			100.00	1	6400
1952	271	0.00							
OTHER 2 AXLE, 6-TIRED									
1953	1381	5.34	74	53.57	40	14110	46.43	34	9338
1952	1662	4.50	75	58.62	44	14274	41.38	31	8867
3 AXLE									
1953	120	9.82	12	63.64	8	23471	36.36	4	15675
1952	101	6.90	7	50.00	4	29133	50.00	3	15733
SUBTOTAL SINGLE UNITS									
1953	3653	2.49	91	52.75	48	15670	47.25	43	9363
1952	4398	2.25	99	60.61	61	13734	39.39	38	8907
TRACTOR SEMITRAILER COMBINATIONS									
3 AXLE									
1953	232	48.62	113	70.75	80	30381	29.25	33	18042
1952	212	50.50	107	71.29	76	29342	28.71	31	17124
4 AXLE									
1953	165	33.11	55	78.00	43	48374	22.00	12	26782
1952	164	38.31	63	72.88	46	47263	27.12	17	24381
5 AXLE OR MORE									
1953	329	57.74	190	81.01	154	50926	18.99	36	31812
1952	241	64.50	155	74.50	115	53532	25.50	40	31861

(CONTINUED ON PAGE 11)

TABLE W-3F.H. STATE OF MONTANA

TRUCKS AND TRUCK COMBINATIONS OPERATED FOR-HIRE WITH AVERAGE LOADED WEIGHT AND AVERAGE EMPTY WEIGHT OF EACH TYPE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO SIMILAR DATA FOR 1952.

VEHICLE TYPES	LOADED AND EMPTY VEHICLES COUNTED			LOADED VEHICLES			EMPTY VEHICLES		
	TOTAL ALL COUNTED (PRIVATE AND FOR-HIRE)	PERCENTAGE FOR-HIRE EACH TYPE	ESTIMATED NUMBER FOR-HIRE	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE LOADED WEIGHT lbs.	PERCENTAGE OF TOTAL LOADED AND EMPTY EACH TYPE	ESTIMATED NUMBER EACH TYPE	AVERAGE EMPTY WEIGHT lbs.
SUBTOTAL TRACTOR SEMITRAILER COMBINATIONS									
1953	726	49.31	358	77.37	277	44596	22.63	81	25457
1952	617	52.67	325	72.92	237	44558	27.08	88	25225
COMBINATIONS INVOLVING FULL TRAILERS									
4 AXLE OR LESS (1)									
1953	34	80.65	27	48.00	13	61058	52.00	14	27946
1952	59	84.62	50	45.45	23	59035	54.55	27	24625
5 AXLE									
1953	251	81.48	205	55.56	114	73324	44.44	91	29238
1952	223	81.34	181	51.76	94	72911	48.24	87	29520
6 AXLE OR MORE									
1953	56	98.18	55	87.04	48	61702	12.96	7	35014
1952	59	98.15	58	83.02	48	63536	16.98	10	31833
SUBTOTAL TRUCK-TRAILER COMBINATIONS									
1953	341	84.16	287	60.98	175	69225	39.02	112	29438
1952	341	84.75	289	57.09	165	68249	42.91	124	28641
SUBTOTAL ALL COMBINATIONS									
1953	1067	60.45	645	70.08	452	54132	29.92	193	27767
1952	958	64.09	614	65.47	402	54282	34.53	212	27223
TOTAL ALL TRUCKS AND TRUCK COMBINATIONS									
1953	4720	15.59	736	67.93	500	50439	32.07	236	24414
1952	5356	13.31	713	64.80	463	48940	35.20	250	24439

(1) MAY INCLUDE COMBINATIONS OF TRUCK AND ONE AXLE (DOLLY) FULL TRAILERS.

TABLE W-4

STATE OF MONTANA

NUMBER OF AXLE LOADS OF VARIOUS MAGNITUDES OF LOADED AND EMPTY TRUCKS AND TRUCK COMBINATIONS OF EACH TYPE WEIGHED AND THE PROBABLE NUMBER OF SUCH LOADS OF EACH GENERAL TYPE AND OF ALL TYPES COUNTED AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO SIMILAR DATA IN 1952.

AXLE LOADS IN POUNDS	SINGLE UNIT TRUCKS										TRACTOR-SEMITRAILER COMBINATIONS								COMBINATIONS INVOLVING FULL TRAILERS								ALL COMBINATIONS		ALL TRUCKS AND COMBINATIONS	
	PANEL&PICKUP UNDER 1½ TONS		OTHER 2 AXLE 4-TIRED		OTHER 2 AXLE 6-TIRED		3 AXLE		ALL SINGLE UNIT TRUCKS		3 AXLE		4 AXLE		5 AXLE OR MORE		ALL TRACTOR SEMITRAILER COMB.		4 AXLES OR LESS		5 AXLE		6 AXLE		ALL TRUCK-TRAILER COMB.					
	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952
UNDER 8,000	1087	1122	155	188	1607	1975	195	167	6622	8010	365	328	237	277	492	377	1170	1036	52	97	437	437	82	82	592	666	1762	1702	8384	9712
8,000 - 8,499	1		1		32	34	7	9	55	54	18	23	31	27	114	88	174	145	4	17	80	64	23	23	110	113	284	258	339	312
8,500 - 8,999			1		35	33	9	8	57	52	16	13	26	27	150	89	205	135	5	8	42	48	26	36	75	100	280	235	337	287
9,000 - 9,499			1		27	38	13	10	51	61	13	8	24	16	104	55	150	82	4	5	50	41	23	21	80	72	230	154	281	215
9,500 - 9,999					36	28	10	8	58	45	8	8	7	10	48	35	67	56	4	3	44	24	26	20	76	51	143	107	201	152
10,000 - 10,999					59	70	15	9	94	101	15	24	19	15	109	102	152	148	6	8	13	8	33	23	54	43	206	191	300	292
11,000 - 11,999					47	69	16	10	79	101	23	30	27	22	113	72	174	132		1	5	4	29	17	35	24	209	156	288	257
12,000 - 12,999					58	68	20	9	98	98	34	41	34	31	113	74	193	154	1	4	16	8	21	35	39	51	232	205	330	303
13,000 - 13,999					44	77	6	6	64	106	43	35	24	23	102	69	180	133	3	2	29	17	43	42	77	66	257	199	321	305
14,000 - 14,999					39	44	22	9	75	67	46	33	40	48	95	90	194	180		8	70	68	12	12	85	95	279	275	354	342
15,000 - 15,999					37	42	11	14	61	70	27	11	51	43	78	80	167	141	2	7	181	117	7	8	196	141	363	282	424	352
16,000 - 16,999					28	31	8	1	45	41	19	13	26	32	20	20	70	69	14	6	89	81	3	5	110	99	180	168	225	209
17,000 - 17,999					28	38		1	37	50	19	20	32	19	6	1	62	42	20	26	142	112	1		170	149	232	191	269	241
18,000 - 18,999					14	13	4		23	17	4	7	15	18	4	2	25	29	7	10	16	12			24	24	49	53	72	70
19,000 - 19,999					2	9			3	12	1	3	3	6	2		6	9		3	1	4	1		2	8	8	17	11	29
20,000 - 21,999					3	3			4	4	3	3	6	1		2	10	6		1						1	10	7	14	11
22,000 - 23,999						6				8			2	1			2	1									2	1	2	9
TOTAL AXLES WEIGHED	1088	1122	158	188	2096	2578	336	261	XXXX	XXXX	654	600	604	616	1550	1156	XXXX	XXXX	122	206	1215	1045	330	324	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
TOTAL AXLES COUNTED	4070	4728	234	542	2762	3324	360	303	7426	8897	696	636	660	656	1645	1206	3001	2498	134	234	1255	1115	336	354	1725	1703	4726	4201	12152	13098

TABLE W-5

STATE OF MONTANA

NUMBER OF LOADED AND EMPTY TRUCKS AND TRUCK COMBINATIONS OF EACH TYPE OF VARIOUS TOTAL WEIGHTS AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953 COMPARED TO CORRESPONDING DATA FOR 1952.

TOTAL WEIGHT POUNDS	SINGLE UNIT TRUCKS										TRACTOR-SEMITRAILER COMBINATIONS								COMBINATIONS INVOLVING FULL TRAILERS								ALL COMBINATIONS		ALL TRUCKS AND COMBINATIONS	
	PANEL&PICKUP UNDER 1½ TONS		OTHER 2 AXLE 4-TIRED		OTHER 2 AXLE 6-TIRED		3 AXLE		ALL SINGLE UNIT TRUCKS		3 AXLE		4 AXLE		5 AXLE OR MORE		ALL TRACTOR SEMITRAILER COMBINATIONS		4 AXLE OR LESS		5 AXLE		6 AXLE OR MORE		ALL TRUCK-TRAILER COMBINATIONS					
	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952	1953	1952
UNDER 6,000	498	477	42	48	48	62			1989	2225																			1989	2225
6,001 - 8,000	31	63	25	29	203	281			421	711	1						1										1		422	711
8,001 - 10,000	14	22	6	12	194	218	2	2	319	410		3						3										3	319	413
10,001 - 12,000	1		4	4	139	139	15	9	209	201	3	4		1			3	5	1						1		4	5	213	206
12,001 - 14,000			2	1	114	124	13	12	167	177	4	11					4	12									4	12	171	189
14,001 - 16,000					95	134	4	8	130	182	15	9		3			16	13		2						2	16	15	146	197
16,001 - 18,000					89	124	8	5	126	166	19	19		1			20	21									20	21	146	187
18,001 - 20,000					62	82	2	6	84	113	30	17	3	5			35	23	1						1		36	23	120	136
20,001 - 22,000					55	55	5	6	78	78	13	11	6	12			20	24	2	1					2	1	22	25	100	103
22,001 - 24,000					25	41	7	5	40	59	12	11	9	13	4		27	26	2	6	1	1			3	8	30	34	70	93
24,001 - 26,000					16	19	5	6	26	31	10	13	14	10	3	2	29	27	7	8	8	6			16	15	45	42	71	73
26,001 - 28,000					8	5	4	2	15	9	8	14	5	3	7	3	22	21	2	9	20	8			23	19	45	40	60	49
28,001 - 30,000						4	12	6	13	12	10	17	5	7	20	17	37	43	1	1	31	42		3	33	49	70	92	83	104
30,001 - 32,000						1	3	2	3	4	16	20	8	5	19	18	46	45		1	38	35	3	2	43	41	89	86	92	90
32,001 - 34,000							5	3	5	3	24	17	6	4	19	27	52	51		1	4	4	2	3	6	9	58	60	63	63
34,001 - 36,000							14	5	15	6	22	12	3	5	21	9	49	27		1	1	1			1	2	50	29	65	35
36,001 - 38,000							6	4	6	4	14	4	3	3	10	6	29	14				1	1	1	1	2	30	16	36	20
38,001 - 40,000							2	5	2	6	8	6	3	5	11	4	24	16									24	16	26	22
40,001 - 42,000							3	1	3	1	6	8	4	2	7	4	18	15			1	1	1		2	1	20	16	23	17
42,001 - 45,000							2		2		2	2	10	7	13	14	27	24			1		1		2		29	24	31	24
45,001 - 50,000											1	2	12	16	26	16	42	36		2	1	2	4	4	5	9	47	45	47	45
50,001 - 55,000													32	32	36	29	73	64	1	4		2	4	3	5	10	78	74	78	74
55,001 - 60,000													25	19	37	19	67	40	7	4	1	1	7	2	16	8	83	48	83	48
60,001 - 65,000													2	1	41	19	46	21	7	10	8	3	15	11	31	27	77	48	77	48
65,001 - 70,000													1		23	25	25	26		1	10	8	9	19	20	30	45	56	45	56
70,001 - 75,000															10	15	11	16		1	82	79	7	6	92	92	103	108	103	108
75,001 - 80,000															1	4	1	4			36	14	1		38	15	39	19	39	19
80,001 - 85,000															2		2					1				1	2	1	2	1
TOTAL VEHICLES WEIGHED	544	562	79	94	1048	1289	112	87	XXXX	XXXX	218	200	151	154	310	231	XXXX	XXXX	31	52	243	209	55	54	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
TOTAL VEHICLES COUNTED	2035	2364	117	271	1381	1662	120	101	3653	4398	232	212	165	164	329	241	726	617	34	59	251	223	56	59	341	341	1067	958	4720	5356

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOAD METER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	2S2	Flour	H	551	55	177	159	160			13.4	19.5	4.1			37.0															B-D	4.5
	3S2	Frt.	H	423	86	101	102	67	67		10.6	4.0	22.7	4.0		41.3																
	3S2	Prod.	P	676	85	151	152	144	144		18.4	4.3	25.0	4.0		51.7															B-E	7.1
	3S2	Empty	P	348	86	76	77	54	55		15.7	4.4	28.6	4.2		52.9																
	3S2	Prod.	P	669	86	145	145	146	147		14.6	4.4	25.0	4.0		48.0														0.1	B-E	5.7
	3S2	Meat	P	626	91	130	131	137	137		15.8	4.2	21.8	4.0		45.8															B-E	1.6
	3	Logs	P	288	46	121	121				12.2	3.7				15.9																
	2S2	Milk	P	323	49	150	62	62			13.4	18.1	4.0			35.5																
	3S2	Frt.	H	360	86	85	85	52	52		15.3	4.0	22.3	4.1		45.7																
	3S2	Empty	H	302	85	66	66	42	43		15.2	4.3	27.0	4.0		50.5																
	3S2	Empty	H	340	89	78	77	48	48		18.2	4.2	22.5	4.2		49.1																
	3S2	Frt.	H	528	86	143	143	78	78		15.3	4.4	27.2	4.2		51.1																
	3-2	Diesel	H	738	93	150	150	174	171		18.4	4.3	14.0	19.3		56.0							B-D	2.2						1.7	B-D	12.6
	3-3	Frt.	H	580	88	116	117	138	60	61	13.7	4.3	13.6	19.6	4.2	55.4																
	3-2	Gas	H	759	95	159	160	175	170		15.8	4.2	16.5	19.2		55.7							B-D	1.2						4.6	B-D	10.3
	3S2	Frt.	H	384	82	79	79	72	72		15.3	4.4	13.5	4.1		37.3																
	3S2	Frt.	H	567	85	121	122	119	120		15.4	4.1	22.2	4.3		46.0																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	2S2	Groc.	P	543	84	165	147	147			15.3	17.1	4.0			36.4															B-D	2.5
	3S2	Frt.	H	563	86	125	125	113	114		15.8	4.3	23.9	4.3		48.3																
	2S1	Furn.	H	270	47	122	101				13.0	19.6				32.6																
	3S2	Frt.	H	440	86	100	100	77	77		16.0	4.3	24.2	4.4		48.9																
	3S2	Frt.	H	594	93	141	141	109	110		16.5	4.3	23.5	4.3		48.6																
	3-2	Diesel	H	735	83	154	155	178	165		18.5	4.4	14.0	20.0		56.9							B-D	5.0						0.3	B-D	15.7
	2S1	Hay	P	300	43	127	130				13.0	20.2				33.2																
	2S2	Groc.	P	579	88	178	156	157			13.7	17.1	4.0			34.8							B-D	0.6						1.9	B-D	9.6
	2S2	Pipe	P	464	68	163	116	117			13.2	17.0	4.1			34.3																
	3S1	Mach.	H	478	91	92	91	204			11.7	4.1	18.7			34.5			13.3								13.3					
	2D	Groc.	P	225	41	184					13.5					13.5	2.2								2.2							
	3-3	Frt.	H	622	81	134	134	86	93	94	13.6	4.2	13.6	14.4	4.2	50.0																
	3S1	Frt.	H	345	87	72	73	113			15.5	4.0	16.0			35.5																
	3S2	Frt.	H	526	93	110	110	106	107		16.6	4.3	32.6	4.4		57.9																
	2S1	Groc.	P	437	136	165	136				13.5	16.5				30.0																
	3S2	Empty	P	352	89	80	80	51	52		15.8	4.2	21.8	4.0		45.8																
	2S1	Furn.	H	270	55	117	98				11.6	23.0				34.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	2S1	Cattle	P	324	41	150	133				13.3	20.5				33.8																
	3-3	Frt.	H	527	91	81	81	107	83	84	16.8	4.3	14.0	12.8	3.8	51.7																
	3-2	Cement	H	761	108	155	156	166	176		17.1	4.4	18.3	16.0		55.8														4.8	B-E	8.8
	2S2	Auto Parts	P	338	87	129	61	61			13.6	18.9	4.2			36.7																
	3S2	Rock	P	721	89	160	161	156	155		17.1	4.0	22.5	4.1		47.7						2.4	B-E	4.7						7.8	B-E	18.2
	3S2	Frt.	H	493	81	94	94	112	112		10.6	4.2	18.2	4.2		37.2																
	3-2	Gas	H	739	100	154	154	166	165		15.1	4.4	17.7	18.1		55.3														2.8	B-E	5.1
	3S2	Frt.	H	335	84	68	67	58	58		16.0	4.3	24.2	4.3		48.8																
	2S1	Furn.	H	342	56	135	151				12.3	23.0				35.3																
	2S2	Empty	P	297	82	106	54	55			15.3	17.0	4.0			36.3																
	3-3	Frt.	H	489	87	106	107	82	53	54	13.6	4.4	13.6	19.6	4.2	55.4																
	3S2	Prod.	P	675	86	140	140	154	155		16.9	4.6	24.2	4.0		49.9															B-E	6.8
	3	Empty	P	274	90	92	92				14.3	4.4				18.7																
	3S2	Empty	P	291	86	61	62	41	41		17.8	4.4	24.8	4.0		51.0																
	3S2	Empty	P	502	113	107	107	87	88		16.4	4.5	23.9	4.3		49.1																
	3S2	Cement	P	728	92	162	162	156	156		15.7	4.4	28.6	4.2		52.9							B-C	1.3						3.3	B-E	8.9
	2S1	Furn.	H	361	60	150	151				13.2	23.8				37.0																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	2D	Hay	P	228	43	185					12.6					12.6	2.8								2.8							
	2S1	Hay	P	387	62	163	162				13.9	18.0				31.9																
	2S1	Gas	P	335	43	136	156				11.5	16.8				28.3																
	2S2	Groc.	P	444	60	222	81	81			11.8	16.6	4.0			32.4	23.4								23.4							
	2S1	Furn.	H	337	55	137	145				11.8	26.2				38.0																
	3S2	Prod.	P	685	90	140	141	157	157		18.1	4.3	23.7	4.2		50.3														0.2	B-E	9.5
	3S2	Empty	P	298	86	62	62	44	44		17.9	4.2	24.8	4.0		50.9																
	3S2	Frt.	H	346	81	84	85	48	48		16.1	4.3	26.8	4.0		51.2																
	3	Lumber	P	370	46	162	162				14.4	4.0				18.4							B-C	1.3								B-C	1.3
	3-2	Gas	H	755	88	156	156	179	176		16.7	4.6	14.3	19.9		55.5							B-D	4.0						4.0	B-D	14.2
	3S2	Empty	P	278	81	59	60	39	39		16.7	4.0	25.0	4.2		49.9																
	2S1	Furn.	H	328	58	138	132				12.4	26.0				38.4																
	3-3	Frt.	H	592	97	113	114	145	61	62	13.6	4.3	13.6	19.6	4.2	55.3																
	3	Tanks	P	261	51	105	105				12.4	3.7				16.1																
	3S2	Empty	P	333	84	73	74	51	51		14.4	4.0	22.5	4.2		45.1																
	2D	Beer	P	266	58	208					14.4					14.4	15.6								15.6							
	3S2	Frt.	H	333	75	85	86	43	44		15.1	4.3	26.7	4.0		50.1																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	3S2	Frt.	H	474	84	111	112	83	84		14.0	4.3	20.7	4.2		43.2																
	3S2	Frt.	H	330	80	70	69	55	56		15.0	4.4	21.7	4.0		45.1																
	2S1	Furn.	H	337	51	134	152				11.8	26.1				37.9																
	3S2	Empty	P	298	89	64	64	40	41		17.2	4.4	23.7	4.2		49.5																
	3S2	Milk	P	600	83	145	145	113	114		16.0	4.4	24.1	4.3		48.8																
	3S2	Empty	P	349	87	76	76	55	55		15.7	4.3	28.6	4.1		52.7																
	3-2	Cement	H	759	93	153	153	181	179		15.7	4.3	15.5	19.8		55.3			0.6				B-D	1.5			0.6			5.6	B-D	10.9
	3S2	Frt.	H	419	85	93	94	73	74		15.1	4.4	17.4	4.4		41.3																
	3S2	Prod.	P	680	96	148	149	143	144		18.9	4.4	23.4	4.3		51.0															B-E	7.5
	3S2	Empty	P	295	86	63	64	41	41		18.1	4.3	23.7	4.0		50.1																
	3	Lumber	P	354	61	146	147				15.7	4.0				19.7																
	3-2	Empty	H	311	84	65	65	51	46		18.5	4.4	14.2	18.5		55.6																
	3S2	Frt.	H	486	82	118	118	84	84		15.2	4.4	27.6	4.0		51.2																
	3-3	Frt.	H	718	88	136	137	167	95	95	13.6	4.2	13.7	19.6	4.3	55.4															B-D	4.5
	3-3	Empty	H	336	83	62	63	42	43	43	16.5	4.3	13.1	12.4	4.0	50.3																
	3S2	Empty	H	290	81	60	61	44	44		16.0	4.3	24.0	4.4		48.7																
	3S2	Empty	H	293	85	59	60	44	45		16.8	4.4	24.1	4.4		49.7																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	3-3	Frt.	H	695	98	126	127	161	91	92	13.6	4.3	13.7	19.6	4.2	55.4																
	3-3	Frt.	H	629	94	130	131	105	84	85	13.6	4.3	13.6	19.7	4.2	55.4																
	3S2	Empty	H	322	84	71	72	47	48		16.8	4.3	24.2	4.0		49.3																
	3S2	Frt.	H	355	86	85	85	50	49		16.8	4.3	24.1	4.3		49.5																
	3-2	Cattle	P	621	84	140	140	130	127		17.1	4.1	14.1	20.4		55.7																
	3S2	Frt.	H	403	83	88	89	71	72		15.3	4.4	22.2	4.1		46.0																
	3S2	Empty	P	311	86	68	68	44	45		16.8	4.6	24.7	4.1		50.2																
	3-3	Frt.	H	719	92	133	134	148	106	106	13.6	4.2	13.6	19.6	4.2	55.2															B-F	0.5
	3S2	Frt.	H	506	84	120	120	91	91		15.2	4.2	27.0	4.0		50.4																
	3S2	Cans	P	350	81	73	73	61	62		16.0	4.4	24.1	4.3		48.8																
	2S1	Hay	P	375	44	165	166				12.4	26.4				38.8																
	2S2	Limber	P	461	51	165	122	123			13.3	18.0	3.8			35.1																
	3S2	Empty	P	330	85	80	80	42	43		14.5	3.9	22.9	4.2		45.5																
	3S2	Frt.	H	546	92	129	130	97	98		18.0	4.1	22.3	3.9		48.3																
	3S2	Boxes	P	328	76	71	71	55	55		16.3	4.3	24.2	4.2		49.0																
	3S2	Frt.	H	442	84	100	101	78	79		17.5	4.0	22.4	4.0		47.9																
	3S2	Empty	P	311	83	73	74	40	41		14.5	4.0	22.6	4.2		45.3																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																	
1	3-2	Gas	H	734	93	147	147	176	171		15.8	4.3	17.2	18.2		55.5														1.1	B-E	5.4
	3S2	Groc.	P	669	98	148	148	137	138		15.7	4.4	22.0	4.0		46.1														2.3	B-E	8.4
	3-3	Frt.	H	715	92	130	130	155	104	104	13.7	4.2	13.6	19.6	4.2	55.3																
	3S2	Meat	P	622	81	138	138	132	133		8.2	4.5	24.1	4.1		40.9														1.0	A-E	1.1
	3S2	Groc.	P	627	90	142	143	126	126		14.2	4.2	22.2	4.0		44.6															B-E	2.0
	3S2	Frt.	H	572	84	120	121	123	124		10.7	4.2	20.6	4.2		39.7																
	3S2	Frt.	H	455	85	106	105	79	80		15.9	4.4	24.3	4.4		49.0																
	3S2	Meat	P	667	84	150	150	142	141		18.2	4.4	25.0	4.1		51.7															B-E	4.1
	3S2	Frt.	H	517	81	120	121	97	98		15.0	4.4	26.3	4.2		49.9																
	2S1	Frt.	H	266	68	114	84				12.4	26.0				38.4																
	2S2	Fruit	P	581	92	181	154	154			13.6	18.1	4.0			35.7	0.5													0.8	B-D	7.0
	3-2	Gas	P	720	96	143	143	168	170		18.0	4.3	15.0	18.3		55.6															B-D	5.6
	3-2	Gas	H	744	85	157	157	171	174		17.0	4.4	15.6	19.7		56.7							B-D	1.0						1.5	B-D	10.5
	3S2	Prod.	P	560	91	123	123	111	112		12.0	4.4	24.5	4.3		45.2																
	3S2	Cement	P	713	94	152	152	157	158		15.8	4.5	28.9	4.2		53.4														1.1	B-E	4.5
	3S2	Prod.	P	745	85	175	175	155	155		15.2	4.6	23.7	4.0		47.5						5.8	B-C	9.4						11.4	B-E	21.5
	3S2	Empty	H	319	84	67	68	50	50		15.9	4.3	24.2	4.4		48.8																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO) WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR ... E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	3S2	Frt.	H	468	90	115	115	74	74		18.2	4.2	19.0	4.3		45.7																
	3S2	Frt.	H	484	83	91	92	109	109		10.6	4.2	20.6	4.3		39.7																
	2-2	Rd.Oil	H	603	95	167	171	170			16.7	11.8	15.9			44.4																
	3-3	Frt.	H	606	84	95	96	139	96	96	13.6	4.2	13.7	19.6	4.2	55.3																
	3-3	Frt.	H	602	85	136	136	113	66	66	13.6	4.2	13.7	19.6	4.3	55.4																
	3S2	Frt.	H	615	86	141	141	123	124		11.0	4.2	21.7	4.0		40.9															B-E	0.5
	3S2	Frt.	H	613	85	131	132	132	133		13.5	4.3	22.9	4.2		44.9																
	3S2	Empty	P	291	91	61	62	38	39		13.7	3.6	24.2	4.1		45.6																
	3S2	Empty	P	294	79	65	65	42	43		16.9	4.5	23.8	4.1		49.3																
	3	Tank	P	330	87	121	122				12.4	3.7				16.1																
	2S1	Milk	P	283	43	148	92				12.0	20.9				32.9																
	3S2	Truck	P	414	71	93	94	78	78		13.1	4.0	25.2	4.3		46.6																
	3S2	Frt.	H	605	90	131	132	126	126		14.2	4.0	22.6	4.0		44.8																
	2-2	Rd.Oil	H	612	99	171	173	169			16.1	12.0	16.3			44.4															B-D	0.7
	3-2	Empty	H	281	82	62	62	39	36		17.2	4.4	18.2	16.1		55.9																
	3S2	Frt.	H	482	82	95	96	104	105		10.6	4.2	20.6			35.4																
	3S2	Groc.	P	625	89	149	150	118	119		14.4	4.0	22.4	4.0		44.8															B-E	1.8

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
1	3	Sugar	P	418	104	157	157				14.1	4.0				18.1																
2	3-2	Empty	H	305	79	64	63	49	50		18.1	4.3	14.3	18.3		55.0																
	3S2	Prod.	P	711	87	154	154	158	158		17.1	4.0	24.5	4.2		49.8							B-E	0.6						4.0	B-E	13.1
	2S1	Groc.	P	366	52	179	135				12.3	13.6				25.9																
	2-1	Mach.	P	284	31	130	123				13.3	18.0				31.3																
	3	Hay	P	293	43	125	125				15.4	4.0				19.4																
	2S2	Gas	P	508	92	157	130	129			12.7	15.3	4.1			32.1																
	3S2	Frt.	H	383	84	91	92	58	58		15.1	4.2	22.3	4.0		45.6																
	3S2	Frt.	H	587	91	124	124	124	124		13.4	3.9	30.8	4.2		52.3																
	2S1	Pop	P	396	45	176	175				12.3	21.0				33.3																
	2-2	Gas	H	591	92	168	168	163			18.0	12.2	18.3			48.5																
	3-2	Gas	H	752	90	155	155	178	174		18.3	4.3	13.6	19.4		55.6							B-D	5.2						3.6	B-D	16.0
	3-2	Gas	H	728	88	148	147	177	168		16.6	4.4	14.2	20.7		55.9														0.3	B-D	9.8
	2S1	Furn.	H	325	55	144	126				11.8	26.0				37.8																
	3-2	Gas	P	720	90	150	150	167	163		18.3	4.4	14.0	18.9		55.6							B-D	0.6							B-D	11.0
	3S2	Empty	P	367	92	90	90	47	48		15.6	3.9	24.2	4.2		47.9																
	2S2	Empty	P	354	82	121	75	76			13.2	18.0	4.0			35.2																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
2	3S2	Butane	P	689	80	148	148	157	156		13.7	4.2	33.5	4.0		55.4																
	3-2	Empty	H	307	86	63	63	49	46		18.3	4.3	13.7	19.4		55.7																
	3-2	Gas	H	742	98	153	154	166	171		18.6	4.3	14.2	18.6		55.7							B-D	0.2						2.2	B-E	10.2
	3-1	Lumber	P	512	60	136	136	180			11.2	4.0	17.1			32.3															B-D	0.9
	2S2	Lumber	P	543	45	185	156	157			12.3	22.0	4.0			38.3	2.8								2.8						B-D	1.2
	3S2	Gas	H	674	89	145	145	147	148		13.0	4.2	26.8	4.0		48.0														0.8	B-E	3.0
	2S1	Cars	H	310	40	141	129				11.3	29.8				41.1																
	2-2	Empty	H	265	79	86	50	50			14.6	13.6	13.6			41.8																
	3-2	Empty	H	309	77	66	67	51	48		17.5	4.3	15.4	17.8		55.0																
	3-2	Gas	H	733	99	157	158	160	159		13.6	4.3	16.6	18.6		53.1														4.0	B-D	6.0
	3-2	Gas	H	735	91	151	152	172	169		18.6	4.4	15.0	18.4		56.4							B-D	0.6						1.3	B-D	10.5
	2S1	Gas	P	402	59	176	167				13.3	19.5				32.8																
	3S2	Frt.	H	351	85	78	78	55	55		15.2	4.4	22.3	4.2		46.1																
	3	Mach.	P	305	74	115	116				11.3	4.2				15.5																
	3-2	Gas	H	742	94	152	153	175	168		18.6	4.4	14.0	18.6		55.6							B-D	3.4						2.2	B-D	14.1
	2S1	Furn.	H	354	68	140	146				8.2	24.6				32.8																
	2S1	Frt.	H	269	53	126	90				13.4	22.2				35.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
2	2S1	Lumber	P	334	40	166	128				13.5	23.2				36.7																
	2D	Wheat	P	222	36	186					13.5					13.5	3.3								3.3							
	2-2	Gas	H	592	91	168	170	163			17.9	11.9	18.2			48.0																
	3S2	Empty	P	379	95	79	79	63	63		15.4	4.2	24.8	4.5		48.9																
	3-2	Empty	H	307	83	62	61	50	51		18.3	4.3	13.0	19.2		54.8																
	3S2	Empty	P	263	65	53	54	45	46		12.7	4.0	18.0	4.1		38.8																
	3S2	Groc.	P	393	88	99	98	54	54		15.8	4.0	22.1	4.0		45.9																
	2S1	Bread	P	366	70	149	147				12.8	25.3				38.1																
	3-2	Gas	H	710	101	139	140	165	165		18.1	4.3	15.0	18.5		55.9														B-D	3.
	3S2	Empty	P	418	80	96	97	72	73		13.7	4.4	32.3	3.9		54.3																
	2S1	Cement	H	349	35	158	156				13.5	15.7				29.2																
	3S2	Frt.	H	516	89	127	127	86	87		13.5	3.9	31.0	4.2		52.6																
	3-2	Gas	H	739	97	154	154	170	164		18.6	4.4	13.9	18.6		55.5							B-D	3.0						1.8	B-D	13.
	3-2	Empty	P	412	75	78	78	91	90		15.1	4.3	18.1	18.2		55.7																
	2S1	Frt.	H	321	69	162	90				12.0	26.0				38.0																
	2S2	Empty	P	319	56	100	81	82			12.8	18.0	4.1			34.9																
	2S2	Oil	P	560	80	178	151	151			13.1	18.0	4.1			35.2															B-D	5.

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	2S2	Gas	H	484	77	159	124	124			14.9	17.0	4.1			36.0																
	3-2	Gas	H	733	97	153	153	163	167		18.2	4.4	14.9	18.0		55.5														1.0	B-D	9.1
	3-2	Gas	H	743	95	156	156	166	170		19.3	4.3	13.7	18.4		55.7							B-D	3.0						2.4	B-D	13.6
	3-2	Gas	H	746	97	156	156	167	170		18.6	4.3	13.9	18.9		55.7							B-D	3.2						2.8	B-D	13.8
	3-2	Empty	H	318	92	62	62	52	50		17.5	4.0	13.7	18.8		54.0																
	3S2	Frt.	H	607	90	117	117	141	142		10.6	4.2	20.6	4.2		39.6																
	3S2	Empty	P	334	90	70	71	51	52		18.3	4.0	22.8	4.2		49.3																
	2S1	Groc.	P	353	52	175	126				12.4	19.4				31.8																
	2S1	Groc.	P	273	53	146	74				12.4	17.7				30.1																
	2S2	Auto Parts	P	505	92	155	129	129			13.9	18.6	4.3			36.8																
	2S2	Paper	P	435	68	141	113	113			12.9	17.2	4.0			34.1																
	2S2	Lime	P	546	59	171	158	158			13.7	22.0	4.0			39.7																
	3S2	Frt.	P	625	95	143	142	122	123		16.0	4.4	24.1	4.1		48.6																
	3-2	Diesel	H	709	105	138	139	167	160		17.5	4.0	14.0	18.7		54.2															B-D	5.5
	3	Hay	P	283	45	119	119				15.7	4.1				19.8																
	3S2	Frt.	H	622	89	123	123	143	144		10.6	4.2	20.6	4.3		39.7														2.3	B-E	2.9
	3-3	Frt.	H	569	86	121	122	110	65	65	13.7	4.3	13.6	19.6	4.4	55.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	3S2	Frt.	H	608	93	121	121	137	136		10.6	4.2	20.6	4.2		39.6																
	3S2	Empty	H	298	79	65	66	44	44		15.1	4.4	21.6	4.0		45.1																
	3S2	Frt.	H	632	92	135	135	135	135		10.6	4.3	20.6	4.2		39.7														3.9	B-E	4.2
	3S2	Empty	H	267	80	50	51	43	43		10.6	4.2	17.0	4.2		36.0																
	2S2	Oil	P	558	83	170	152	153			12.4	15.3	4.0			31.7							B-D	0.6						2.7	B-D	10.5
	3S2	Frt.	H	515	86	106	106	108	109		10.6	4.2	20.6	4.2		39.6																
	2-2	Rd.Oil	H	597	100	172	162	163			16.4	11.5	15.8			43.7																
	3S2	Frt.	H	629	93	130	130	138	138		10.6	4.2	25.6	4.2		44.6																
	3S2	Frt.	H	542	85	116	116	113	112		18.0	4.1	23.1	4.1		49.3																
	2S1	Mach.	P	343	42	148	153				15.0	24.4				39.4																
	3S2	Frt.	H	561	90	117	117	119	118		10.6	4.0	20.6	4.0		39.2																
	2S1	Hdw.	P	288	50	126	112				11.0	25.6				36.6																
	3-2	Empty	H	314	88	66	66	48	46		17.6	4.0	16.6	17.7		55.9																
	3-2	Gas	H	760	104	147	148	177	184		16.5	4.3	16.8	18.4		56.0				2.2								2.2		4.7	B-E	7.9
	2S2	Conc. Block	H	547	66	162	159	160			13.2	16.2	4.2			33.6							B-D	0.2							B-D	9.6
	3S2	Frt.	H	633	88	138	139	134	134		10.6	4.2	23.7	4.0		42.5														0.3	B-E	0.3
	3S2	Prod.	P	612	92	131	132	128	129		11.9	4.3	23.0	4.2		43.4																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]RE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	3S2	Frt.	H	610	94	126	126	132	132		10.6	4.0	24.9	4.0		43.5																
	3-2	Empty	H	270	74	52	52	46	46		16.2	4.3	15.2	19.9		55.6																
	3-3	Empty	H	418	100	88	89	75	33	33	13.6	4.2	13.6	19.6	4.2	55.2																
	3-2	Gas	H	594	93	140	140	147	74		18.1	4.3	16.2	16.2		54.8																
	2S2	Groc.	P	317	85	116	58	58			15.8	16.3	4.0			36.1																
	2S1	Hdw.	P	327	62	147	118				12.0	25.3				37.3																
	3S2	Frt.	H	513	71	114	114	107	107		10.6	4.0	20.6	4.2		39.4																
	3-3	Empty	H	310	79	59	59	44	35	34	17.1	4.0	14.6	14.3	4.2	54.2																
	3S2	Empty	H	313	80	72	72	44	45		15.3	4.4	12.5	4.0		36.2																
	3S2	Frt.	H	635	81	136	135	142	141		14.4	4.0	22.7	4.0		45.1															B-E	3.6
	2S2	Wheat	P	549	66	171	156	156			13.1	15.7	4.2			33.0							B-D	0.6							B-E	10.0
	3S2	Frt.	H	444	85	86	86	93	94		15.3	4.4	23.9	4.1		47.7																
	3-2	Empty	H	294	87	61	62	42	42		15.0	4.4	13.6	14.2		47.2																
	2S2	Mach.	P	286	59	114	57	56			11.8	19.3	4.2			35.3																
	3-2	Gas	H	721	86	152	152	166	165		15.9	4.1	16.8	19.2		56.0															B-D	4.9
	3S2	Empty	H	260	81	53	54	36	36		10.6	4.2	20.6	4.2		39.6																
	3-2	Empty	H	274	80	50	50	47	47		14.1	4.3	17.7	20.1		56.2																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	2S2	Empty	P	264	77	89	49	49			13.2	18.1	4.1			35.4																
	3-2	Empty	H	308	82	64	64	48	50		18.3	4.4	14.3	18.8		55.8																
	3S2	Frt.	H	626	93	123	124	143	143		10.6	4.2	20.6	4.2		39.6														3.0	A-E	3.0
	3-2	Empty	H	313	84	65	66	50	48		17.8	4.4	16.2	18.3		56.7																
	2S2	Beer	P	550	69	177	152	152			13.2	20.4	3.8			37.4															B-D	1.3
	3S2	Frt.	H	494	84	109	108	96	97		13.6	4.2	20.6	4.2		42.6																
	3S2	Empty	H	280	78	62	63	38	39		13.6	4.2	20.6	4.2		42.6																
	3-2	Empty	H	267	72	51	51	46	47		16.2	4.3	15.8	16.8		52.6																
	3-3	Frt.	H	659	88	106	106	124	117	118	13.7	4.2	13.7	19.6	4.2	55.4																
	3S2	Groc.	P	477	85	97	98	98	99		14.4	3.9	22.7	4.1		45.1																
	3S2	Empty	P	347	84	80	81	51	51		15.9	4.0	22.7	4.3		46.9																
	3-2	Empty	H	261	80	51	52	39	39		13.6	4.3	14.1	16.5		48.5																
	3-2	Empty	H	286	81	57	58	46	44		18.4	4.4	14.4	18.1		55.3																
	3S2	Frt.	H	494	81	107	106	100	100		15.1	4.4	24.7	4.0		48.2																
	3S2	Frt.	H	586	86	133	134	116	117		15.2	4.3	23.7	4.2		47.4																
	3-2	Empty	H	304	86	61	62	47	48		18.6	4.4	14.4	18.0		55.4																
	2S1	Flour	P	362	68	148	146				13.2	24.2				37.4																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	3-3	Empty	H	306	77	58	59	44	34	34	17.2	4.0	14.6	14.2	4.2	54.2																
	3-2	Gas	H	724	94	154	154	159	163		18.4	4.4	13.6	19.0		55.4							B-D	0.6						0.7	B-D	11.0
	3S2	Frt.	H	540	91	100	100	124	125		10.6	4.2	20.6	4.2		39.6																
	2-3	Rd.Oil	H	698	93	176	176	126	127		14.4	16.2	16.8	4.1		51.5														0.1	B-E	3.6
	3-2	Empty	H	293	81	61	61	47	43		17.0	4.4	13.8	20.6		55.8																
	3-2	Empty	H	306	83	63	62	50	48		18.2	4.3	14.2	18.7		55.4																
	3S2	Frt.	H	536	85	129	130	96	96		15.3	4.4	23.8	4.1		47.6																
	2-2	Empty	H	271	79	86	54	52			16.7	11.8	16.7			45.2																
	3S2	Prod.	P	703	94	155	155	150	149		19.8	4.5	23.0	4.3		51.6														0.7	B-E	12.1
	3-2	Empty	H	301	84	61	62	47	47		17.9	4.4	14.0	18.0		54.3																
	3-2	Gas	P	724	91	146	146	174	167		14.1	4.1	18.8	18.5		55.5															B-E	2.8
	3S2	Cheese	P	606	88	137	137	122	122		11.4	4.4	25.0	4.2		45.0																
	3S2	Frt.	H	559	82	117	117	121	122		18.4	4.2	23.0	4.1		49.7																
	3-2	Empty	H	306	79	62	62	50	53		16.6	4.4	14.3	20.4		55.7																
	3-2	Empty	H	283	76	59	59	46	43		15.8	4.2	16.6	19.0		55.6																
	3S2	Frt.	H	371	81	82	82	63	63		14.3	4.2	20.6	4.1		43.2																
	3-2	Gas	H	749	91	160	159	171	168		18.3	4.3	14.6	18.2		55.4							B-D	3.8						4.2	B-D	14.0

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	3S2	Meat	P	721	87	156	157	160	161		18.1	4.3	25.0	4.2		51.6							B-E	0.8						3.3	B-E	13.3
	3S2	Frt.	H	615	89	113	113	150	150		13.7	4.2	19.6	4.2		41.7															B-E	3.2
	3S2	Salt	P	664	84	144	143	146	147		18.2	4.4	23.0	4.1		49.7															B-E	6.8
	3-2	Empty	P	425	75	87	87	88	88		16.8	4.4	16.2	18.4		55.8																
	3S2	Frt.	H	551	90	117	118	113	113		10.6	4.2	20.6	4.2		39.6																
	3-2	Empty	H	284	77	55	56	48	48		18.2	4.3	18.9	13.7		55.1																
	2S1	Furn.	H	309	57	120	132				12.8	21.1				33.9																
	3S2	Frt.	H	592	90	122	122	129	129		10.6	4.2	20.6	4.2		39.6																
	3-2	Gas	P	750	95	154	153	172	176		13.9	4.1	14.0	20.2		52.2						1.9	B-D	3.2						7.5	B-D	13.8
	3-2	Gas	H	765	95	159	160	173	178		15.8	4.2	16.9	18.7		55.6						0.1	B-D	0.8						5.4	B-E	10.2
	3-2	Empty	H	261	70	49	49	47	46		14.2	4.2	18.1	18.8		55.3																
	3-2	Empty	H	304	84	62	62	49	47		18.5	4.3	13.7	19.4		55.9																
	3-2	Gas	H	763	99	159	159	169	177		19.3	4.3	14.2	17.8		55.6							B-D	3.2						5.1	B-E	15.3
	2S1	Lumber	P	390	50	167	173				13.3	13.3				26.6																
	3S2	Empty	P	338	88	77	77	48	48		15.9	4.0	22.7	4.3		46.9																
	3S2	Frt.	H	523	83	119	120	100	101		10.6	4.2	22.4	4.0		41.2																
	3-2	Gas	H	741	96	151	151	175	168		15.8	4.4	17.1	18.4		55.7														2.1	B-E	6.1
	3S2	Frt.	H	563	94	120	121	114	114		12.2	4.1	25.4	4.1		45.8																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING T[illegible]L WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]RE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP						MAXIMUM AXLEGROUP		
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
3	2S2	Frt.	H	588	92	178	159	159			13.5	19.8	4.0			37.3														0.6	B-D	4.5
	2-2	Rd.Oil	H	624	90	179	178	177			14.5	13.4	16.3			44.2															B-D	1.4
	2S2	Mach.	P	397	60	123	107	107			16.5	18.7	3.6			38.8																
	2S1	Bread	P	292	65	119	108				13.0	24.2				37.2																
	2-2	Rd.Oil	P	630	96	187	173	174			16.4	12.0	16.0			44.4	3.9														B-D	4.8
	3-2	Rd.Oil	H	748	82	156	156	178	179		17.7	4.4	15.8	17.6		55.5							B-D	1.5						3.0	B-E	12.5
	3S2	Frt.	H	506	79	110	109	104	104		15.2	4.3	25.0	4.0		48.5																
	3-2	Empty	H	310	87	63	64	50	46		18.5	4.4	14.0	18.6		55.5																
	3-2	Gas	H	753	86	159	159	173	176		16.1	4.4	15.1	19.8		55.4							B-D	2.3						4.7	B-D	11.8
	3-2	Gas	H	729	104	141	142	171	171		17.5	4.0	14.0	18.7		54.2														2.4	B-D	7.9
	3-2	Gas	H	759	91	158	158	176	176		18.4	4.2	14.4	18.6		55.6							B-D	4.2						4.5	B-D	14.4
	3-2	Gas	H	718	96	156	156	153	157		13.6	4.2	17.7	18.0		53.5														0.8	B-E	2.3
	3S2	Empty	H	331	85	73	73	50	50		18.7	3.9	22.4	4.3		49.3																
	3-2	Gas	H	716	93	147	148	166	162		13.1	4.4	18.0	19.8		55.3															B-D	0.9
	3S2	Frt.	H	531	94	101	102	117	117		13.4	4.0	20.4	4.0		41.8																
	2-2	Rd.Oil	H	631	101	177	171	182			17.1	13.6	13.4			44.1			1.1								1.1				B-D	3.8
	2S2	Fuel	P	491	73	164	127	127			12.8	15.4	4.0			32.2																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

ABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	3S2	Frt.	H	465	84	117	118	73	73		10.6	4.2	20.6	4.3		39.7																
	3S2	Frt.	H	489	87	111	111	90	90		10.6	4.2	20.6	4.3		39.7																
	3-2	Gas	P	707	96	140	140	164	167		18.2	4.2	14.8	18.2		55.4															B-E	4.6
	3-2	Empty	H	289	82	57	57	49	44		18.0	4.2	17.8	15.7		55.7																
	3S2	Frt.	H	521	90	101	101	114	115		10.6	4.2	20.6	4.0		39.4																
	3	Gas	H	343	102	120	121				14.8	4.0				18.8																
	3-2	Empty	H	301	83	59	60	54	45		14.4	4.3	16.8	20.3		55.8																
	3	Sheet Metal	P	293	73	110	110				14.3	4.1				18.4																
	2S1	Horses	H	364	56	150	158				12.0	26.0				38.0																
	2S1	Horses	H	359	57	147	155				13.0	26.0				39.0																
	3S2	Mach.	H	542	97	114	114	109	108		16.8	4.4	24.4	4.2		49.8																
	3S2	Frt.	H	489	86	116	116	85	86		10.6	4.2	20.6	4.2		39.6																
	2S1	Furn.	H	282	47	119	116				11.9	22.5				34.4																
	2S2	Empty	H	274	70	107	48	49			14.5	19.5	4.0			38.0																
	3S2	Empty	P	439	89	91	91	84	84		18.3	4.4	28.1	4.0		54.8																
	3S2	Empty	H	305	67	69	68	51	50		12.7	4.0	18.0	4.0		38.7																
	3-3	Empty	H	430	80	58	58	116	59	59	13.7	4.2	13.6	19.6	4.2	55.3																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING T[illegible]L WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]ORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROU	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	2S2	Hogs	P	538	83	173	141	141			12.2	20.3	3.9			36.4																
	3-2	Empty	H	265	74	54	59	43	39		13.5	4.1	11.7	13.1		42.4																
	3S2	Empty	H	410	100	93	94	61	62		16.9	4.3	25.0	4.1		50.3																
	3S2	Empty	H	441	99	107	108	63	64		17.7	4.5	25.3	4.2		51.7																
	2S1	Furn.	H	295	50	121	124				11.8	23.8				35.6																
	3S2	Empty	P	354	80	74	75	62	63		16.1	4.3	25.7	4.0		50.1																
	3-2	Empty	H	264	77	54	54	42	37		14.7	4.3	11.1	12.8		42.9																
	2S1	Cars	H	363	75	142	146				10.9	26.2				37.1																
	3-2	Empty	H	296	83	59	59	49	46		16.0	4.3	18.9	16.1		55.3																
	3-2	Empty	H	267	79	53	53	44	38		14.8	4.4	11.0	12.8		43.0																
	2-2	Gas	H	624	99	175	177	173			15.8	10.9	16.8			43.5															B-D	3.(
	3S2	Frt.	H	387	85	103	103	48	48		15.3	4.3	24.5	4.1		48.2																
	2S1	Wheat	P	328	33	147	148				11.3	14.9				26.2																
	2S1	Cars	H	328	48	146	134				11.9	27.9				39.8																
	2S1	Cars	H	312	40	140	132				11.4	27.3				38.7																
	3-3	Frt.	H	698	90	125	125	150	104	104	13.7	4.4	13.7	19.6	4.2	55.6																
	3-3	Frt.	H	724	95	128	128	151	111	111	13.7	4.2	13.7	19.6	4.2	55.4														0.7	B-F	0.9

Note: Axle Loads and Total Weight to nearest 100 Pounds.

ABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	3S2	Eggs	P	340	89	84	84	41	42		15.7	4.5	27.6	4.2		52.0																
	3S2	Frt.	H	547	98	118	118	106	107		10.5	4.2	20.1	4.0		38.8																
	3S2	Onions	P	598	102	87	88	160	161		12.3	4.2	18.4	4.2		39.1							D-E	0.3							D-E	0.3
	2S2	Feed	P	561	82	182	149	148			12.7	17.4	4.0			34.1	1.1								1.1					0.2	B-D	6.9
	3S2	Frt.	H	424	89	94	94	73	74		11.0	4.4	20.9	4.3		40.6																
	2-2	Empty	H	260	85	80	49	46			14.0	11.7	17.1			42.8																
	3S2	Gas	P	556	72	107	107	135	135		12.8	4.0	17.7	4.2		38.7																
	3S2	Frt.	H	503	94	104	104	100	101		10.7	4.4	19.4	4.0		38.5																
	2S2	Frt.	H	481	79	171	115	116			13.4	19.7	4.0			37.1																
	3-2	Empty	H	271	81	54	54	43	39		13.8	4.3	11.0	12.8		41.9																
	3-2	Gas	H	730	94	146	146	172	172		18.2	4.4	13.7	19.3		55.6														0.6	B-D	10.3
	2S2	Frt.	H	500	76	169	127	128			13.5	20.3	4.5			38.3																
	2S2	Gas	P	552	92	175	142	143			15.0	15.2	4.2			34.4															B-D	7.0
	2-2	Rd.Oil	H	621	89	177	179	176			14.7	13.5	16.5			44.7															B-D	1.0
	3-2	Gas	P	674	100	150	149	141	134		13.7	4.4	14.4	13.5		46.0														3.1	B-E	5.7
	3S2	Prod.	P	623	89	121	121	146	146		11.9	4.4	23.0	4.2		43.5																
	3-2	Gas	H	731	87	154	155	168	167		15.4	4.2	16.1	19.2		54.9														1.7	B-D	8.7

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	3-2	Rd.Oil	H	760	98	155	156	171	180		18.4	4.4	18.9	13.9		55.6							B-E	1.1						4.7	B-E	13.3
	3-2	Gas	H	620	99	127	128	132	134		15.0	4.3	12.0	14.3		45.6																
	3-2	Gas	H	668	110	137	137	144	140		13.5	4.2	11.8	13.0		42.5														0.3	B-E	7.7
	2S1	Furn.	H	306	56	128	122				11.8	21.6				33.4																
	3-2	Empty	P	295	84	58	59	49	45		18.2	4.3	15.0	18.4		55.9																
	2-2	Gas	H	627	104	172	177	174			16.4	10.3	16.9			43.6															B-D	4.4
	3-3	Frt.	H	719	89	134	135	157	102	102	13.7	4.3	13.6	19.6	4.3	55.5															B-D	1.2
	2S2	Cement	P	540	59	178	151	152			13.4	17.3	4.0			34.7															B-D	7.4
	2S2	Lumber	P	519	58	158	151	152			12.0	20.0	4.0			36.0																
	3-2	Empty	H	262	74	51	52	44	41		12.5	4.3	15.9	12.3		45.0																
	2-2	Gas	H	624	101	175	174	174			15.6	9.6	17.3			42.5															B-D	4.4
	2S2	Gas	P	578	83	178	159	158			13.8	20.0	4.0			37.8															B-D	4.3
	2S1	Boat	P	298	50	113	135				12.0	25.5				37.5																
	2S1	Boat	P	289	52	117	120				12.0	25.5				37.5																
	2S2	Butane	H	547	64	179	152	152			12.8	17.9	4.0			34.7															B-D	5.7
	3S2	Empty	H	263	68	52	52	45	46		15.4	4.0	15.6	4.3		39.3																
	2-2	Gas	H	570	91	178	151	150			16.0	9.8	15.2			41.0																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	3-2	Gas	H	627	99	126	126	141	135		14.8	4.4	11.0	12.8		43.0															B-E	3.6
	2S1	Conc. Pipe	P	316	54	144	118				13.0	22.2				35.2																
	2S2	Fish	P	562	92	179	145	146			12.0	18.2	4.0			34.2													0.4	B-D	2.8
	3-2	Diesel	H	628	96	136	136	129	131		15.0	4.4	9.2	14.4		43.0															B-D	4.5
	2S1	Hdw.	P	353	57	147	149				12.4	26.0				38.4																
	3S2	Frt.	H	377	84	92	92	54	55		15.2	4.3	26.5	4.3		50.3																
	3-2	Gas	H	657	95	136	136	142	148		14.0	4.0	18.8	16.0		52.8																
	3S2	Frt.	H	497	86	119	119	86	87		10.6	4.3	20.6	4.2		39.7																
	3-2	Gas	H	757	91	158	157	177	174		18.5	4.3	14.6	18.8		56.2							B-D	4.2						4.3	B-D	14.4
	3S2	Groc.	P	488	83	123	124	79	79		12.0	4.3	24.1	4.2		44.6																
	3-3	Frt.	H	665	86	136	137	130	88	88	13.7	4.2	13.6	19.6	4.2	55.3																
	2S2	Mach.	P	550	73	177	150	150			16.0	20.0	3.8			39.8															B-D	0.5
	2-2	Gas	H	608	104	177	163	164			16.1	9.1	16.9			42.1															B-D	2.4
	3S2	Butter	P	675	99	134	135	154	153		12.8	4.4	24.3	4.1		45.6														3.2	B-E	4.4
	3-2	Empty	P	293	81	61	60	46	45		15.9	4.2	15.7	20.1		55.9																
	3S2	Empty	P	295	86	64	65	40	40		16.6	4.2	30.1	4.1		55.0																
	3S2	Frt.	H	536	87	108	108	117	116		10.6	4.2	20.6	4.2		39.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[ ] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[ ]E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
4	3-2	Empty	H	294	85	62	62	40	45		18.3	4.4	13.7	19.2		55.6																
	2S1	Mach.	P	397	64	171	162				14.9	20.8				35.7																
	3S2	Mach.	P	674	95	133	133	156	157		16.3	4.4	21.9	4.1		46.7														1.9	B-E	10.0
	3-2	Empty	H	289	80	56	56	49	48		18.3	4.3	18.8	13.8		55.2																
	3-2	Empty	H	279	79	53	54	46	47		15.8	4.2	16.8	18.8		55.6																
	3S2	Groc.	P	355	89	91	91	42	42		15.6	4.4	22.0	4.0		46.0																
	3-2	Gas	H	749	97	152	152	172	176		15.4	4.4	14.5	18.3		52.6						0.7	B-D	0.8						6.2	B-E	11.6
	2-3	Rd.Oil	H	737	87	178	179	146	147		17.3	14.2	17.8	4.2		53.5							B-E	0.6						3.5	B-E	12.8
	3-3	Frt.	H	641	83	116	117	147	89	89	13.7	4.2	13.6	19.6	4.2	55.3																
	2S2	Lumber	P	571	104	183	142	142			12.3	18.1	4.2			34.6	1.7								1.7					0.5	B-D	2.2
5	2S1	Cement	P	383	46	161	176				13.5	17.6				31.1																
	2S2	Frt.	H	495	78	137	140	140			9.0	18.6	4.0			31.6																
	2S1	Cars	H	307	42	138	127				11.2	27.2				38.4																
	3	Empty	P	418	*183	119	116				13.6	4.4				18.0	*1.7															
	2S2	Empty	P	306	86	126	47	47			16.0	19.3	4.0			39.3																
	3-2	Gas	H	743	96	156	157	169	165		18.4	4.4	14.5	19.4		56.7							B-D	2.1						1.4	B-D	12.1
	2S1	Groc.	P	344	49	161	134				10.9	14.2				25.1																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

* Axle A over 18,000.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP			AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
5	3S2	Frt.	H	393	84	85	85	69	70		8.2	4.3	22.1	4.4		39.0																
	2S2	Mach.	P	500	77	145	139	139			16.3	14.2	4.0			34.5															B-D	0.5
	2S2	Mach.	P	425	84	146	98	97			14.9	22.4	4.0			41.3																
	2S2	Furn.	H	340	42	112	93	93			11.3	18.8	4.0			34.1																
	3S2	Frt.	H	403	88	90	90	68	67		12.8	4.3	26.2	4.0		47.3																
	3-2	Empty	H	273	74	52	53	47	47		16.3	4.4	15.2	19.8		55.7																
	3	Chem.	P	347	71	138	138				16.3	4.0				20.3																
	3S2	Mach.	P	829	101	170	170	194	194		14.0	4.3	29.3	4.0		51.6			7.8	7.8		12.6	A-E	12.6			7.8	7.8		18.8	B-E	22.9
	2S2	Mach.	P	434	41	122	135	136			13.1	20.9	4.0			38.0																
	3-2	Gas	H	730	94	152	151	171	162		18.2	4.4	15.3	18.6		56.5															B-D	8.0
	3-2	Empty	H	311	82	65	65	52	47		18.3	4.4	14.8	18.3		55.8																
	3S2	Beer	P	647	87	149	149	131	131		14.8	4.4	23.5	4.0		46.7															B-E	3.1
	2S1	Cattle	P	357	56	144	157				13.0	25.7				38.7																
	3	Mach.	P	296	64	116	116				14.4	3.9				18.3																
	2S2	Sugar	P	511	46	175	145	145			11.4	19.1	4.0			34.5																
	2S1	Candy	H	413	50	185	178				11.4	24.6				36.0	2.8								2.8							
	2S2	Sugar	H	503	41	166	148	148			11.4	19.0	4.0			34.4																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]RE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
5	2S1	Cars	H	305	37	134	134				12.8	25.9				38.7																
	3	Mach.	P	327	75	126	126				12.9	4.0				16.9																
	3	Mach.	P	332	82	125	125				11.1	4.2				15.3																
	3S2	Oil	P	515	56	124	123	106	106		12.2	4.0	19.0	4.0		39.2																
	2D	Wheat	P	217	36	181					14.5					14.5	0.6								0.6							
	2S2	Mach.	P	425	86	140	100	99			12.7	24.9	3.5			41.1																
	3S2	Truck	P	451	91	105	106	74	75		18.5	4.3	27.7	4.3		54.8																
	3-2	Gas	H	645	91	138	138	134	144		12.5	4.3	13.9	12.4		43.1														2.2	B-E	3.6
	3S2	Frt.	H	345	89	75	76	53	52		10.2	4.0	20.6	4.4		39.2																
	3	Pump	P	358	76	141	141				14.2	4.0				18.2																
	2S1	Cars	P	346	65	135	146				10.9	28.0				38.9																
	2S2	Frt.	H	422	55	128	119	120			12.5	17.2	4.0			33.7																
	2S2	Empty	H	308	87	127	47	47			16.0	19.0	3.8			38.8																
	2D	Gravel	P	233	45	188					12.8					12.8	4.4								4.4							
	2S2	Frt.	H	425	49	152	112	112			11.6	19.9	4.0			35.5																
	2S1	Cars	H	356	43	157	156				11.2	31.9				43.1																
	2S1	Cars	P	312	67	119	126				11.4	27.2				38.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
																	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
5	3	Mach.	P	327	75	126	126				12.9	4.0				16.9																
	2S2	Sugar	H	555	58	176	160	161			12.5	18.2	4.0			34.7							C-D	0.3							B-D	8.8
6	2S2	Frt.	H	528	81	182	129	136			14.2	18.4	4.2			36.8	1.1								1.1							
	2S2	Frt.	H	522	54	182	132	154			11.8	19.3	4.0			35.1	1.1								1.1						B-D	0.5
	3S2	Frt.	H	645	89	148	104	156	148		14.3	4.1	17.5	6.2		42.1														3.4	B-E	9.1
	3-2	Gas	H	714	88	143	143	171	169		18.3	4.3	14.1	19.1		55.8															B-D	8.6
	3S2	Food	H	602	82	153	150	101	116		11.8	4.3	20.6	4.3		41.0															B-E	0.4
	3-2	Gas	H	724	98	151	144	168	163		17.5	4.1	15.7	18.0		55.3														0.7	B-E	5.7
	3S2	Beer	P	634	88	166	164	104	112		14.7	4.3	23.1	3.9		46.0							B-C	3.1							B-C	3.1
	2S1	Army Equip.	H	350	42	184	124				11.5	28.9				40.4	2.2								2.2							
	2D	Gravel	P	230	48	182					9.3					9.3	1.1								1.1							
	2S1	Feed	P	329	57	149	123				12.8	19.0				31.8																
	3S2	Frt.	H	573	97	116	142	106	112		9.8	4.2	22.3	4.1		40.4																
	2S2	Frt.	H	473	78	139	123	133			14.4	17.8	4.2			36.4																
	2D	Sand	P	226	42	184					12.5					12.5	2.2								2.2							
	3-2	Empty	H	319	89	68	64	48	50		17.6	4.0	15.7	18.0		55.3																
	3-2	Gas	H	757	95	159	159	175	169		15.0	4.0	18.2	18.1		55.3														5.3	B-E	8.9

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
6	2S2	Frt.	H	429	89	166	83	91			13.1	17.8	4.2			35.1																
	3S2	Explo.	P	536	90	101	97	121	117		16.2	4.3	25.1	4.0		49.6																
	2S2	Frt.	H	542	93	187	122	140			11.0	18.3	4.2			33.5	3.9								3.9							
	2S2	Frt.	H	382	70	158	77	77			12.7	19.3	4.0			36.0																
	2S2	Frt.	H	527	85	178	125	139			14.4	17.4	4.2			36.0																
	3S2	Frt.	H	465	90	97	88	101	89		10.6	4.4	20.8	4.4		40.2																
	3S2	Frt.	H	619	86	126	132	135	140		12.9	4.6	21.8	4.4		43.7																
	3-2	Gas	H	715	88	156	152	159	160		16.8	4.6	14.2	20.0		55.6															B-D	8.6
	3S2	Explo.	P	630	88	128	125	142	147		16.2	4.4	24.9	4.0		49.5																
	2S2	Frt.	H	417	65	203	74	75			13.5	22.2	4.2			39.9	12.8								12.8							
	2S2	Mach.	H	367	97	112	82	76			14.4	16.9	4.3			35.6																
	2S1	Furn.	H	328	59	153	116				13.2	24.8				38.0																
	3-2	Gas	H	736	92	152	147	174	171		18.6	4.4	14.4	18.7		56.1							B-D	0.2						1.4	B-D	10.0
	3S2	Empty	P	387	85	99	100	51	52		14.7	4.3	23.1	3.9		46.0																
	3-2	Empty	H	296	82	62	61	47	44		18.3	4.4	14.1	19.2		56.0																
	3-2	Empty	H	328	93	74	68	50	43		15.2	4.0	18.2	18.0		55.4																
	2S1	Cars	H	348	69	137	142				10.7	26.8				37.5																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
6	3S2	Groc.	P	383	81	99	88	67	48		14.9	4.4	23.9	4.0		47.2																
	2S1	Cars	H	314	40	145	129				10.9	30.0				40.9																
	2S1	Cars	H	369	46	177	146				11.1	28.8				39.9																
	3S2	Empty	H	369	77	83	81	55	73		14.8	4.0	20.4	4.2		43.4																
	2S1	Cars	H	324	51	139	134				9.5	31.5				41.0																
	3S2	Empty	P	346	81	84	75	62	44		14.9	4.4	23.5	4.3		47.1																
	2S2	Fish	H	510	86	182	119	123			9.0	19.9	4.2			33.1	1.1								1.1							
	3-2	Empty	P	346	94	81	71	51	49		16.6	4.4	15.7	16.2		52.9																
	3S2	Empty	H	380	82	92	87	62	57		14.9	4.0	22.0	4.1		45.0																
	2S1	Cars	H	324	43	143	138				11.3	26.5				37.8																
	2S1	Cars	H	358	64	159	135				11.2	26.7				37.9																
	3S2	Frt.	H	341	89	81	72	41	57		10.6	4.3	21.3	4.0		40.2																
	3S2	Empty	P	302	83	72	64	40	43		14.8	4.3	22.8	4.0		45.9																
	3S2	Frt.	H	323	83	68	65	61	46		9.9	4.0	22.2	4.2		40.3																
	2S2	Meat	H	548	77	173	155	143			10.6	20.9	4.0			35.5																
	2S2	Meat	H	486	88	163	115	120			9.1	21.4	4.0			34.5																
	2S2	Beer	P	520	69	177	117	157			13.8	19.0	4.3			37.1																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
6	2S2	Lumber	P	474	78	164	115	117			16.0	20.5	4.2			40.7																
7	3-2	Gas	H	748	86	156	154	177	175		17.0	4.6	14.4	20.1		56.1							B-D	3.2						3.0	B-D	13.3
	3-2	Gas	P	724	91	152	132	172	177		18.3	4.3	14.4	18.0		55.0														0.7	B-E	8.4
	2S1	Groc.	P	373	59	168	146				11.7	14.2				25.9																
	3S2	Frt.	H	421	89	101	90	71	70		10.0	4.0	22.3	4.0		40.3																
	3	Gravel	P	377	77	153	147				12.4	3.8				16.2																
	3-2	Gas	H	707	86	125	155	171	170		15.5	4.3	16.5	19.3		55.6															B-E	2.1
	3-2	Gas	P	748	93	154	158	174	169		18.3	4.4	13.9	18.8		55.4							B-D	4.7						4.0	B-D	15.5
	3-2	Gas	H	755	86	159	157	178	175		16.9	4.5	14.2	20.0		55.6							B-D	4.7						4.0	B-D	14.9
	3S2	Frt.	H	324	79	78	73	50	44		16.1	4.3	21.9	4.2		46.5																
	2S1	Groc.	P	268	45	114	109				12.5	13.4				25.9																
	3S2	Frt.	H	456	81	110	107	79	79		14.8	4.2	25.4	4.1		48.5																
	3S2	Frt.	H	334	91	77	70	47	49		10.5	4.3	21.5	4.0		40.3																
	2D	Gravel	P	266	85	181					12.6					12.6	0.5								0.5							
	2D	Beer	P	277	75	202					14.3					14.3	12.2								12.2							
	3-2	Gas	H	722	85	154	149	167	167		17.2	4.0	15.5	18.7		55.4														0.4	B-E	7.6
	3S2	Empty	H	326	82	70	69	50	55		14.0	4.0	28.8	4.0		50.8																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
7	3-2	Gas	H	751	91	159	152	178	171		17.6	4.4	15.0	19.0		56.0							B-D	3.6						3.5	B-D	13.7
	3	Gravel	P	355	62	148	145				13.0	4.0				17.0																
	3-2	Gas	H	730	89	154	151	169	167		17.1	4.0	15.0	18.9		55.0							B-E	0.4						1.5	B-E	10.3
	3S2	Frt.	H	483	84	124	121	78	76		10.6	4.2	20.6	4.2		39.6																
	3-2	Gas	H	722	80	151	148	177	166		15.9	4.1	16.6	19.1		55.7															B-D	6.3
	3	Gravel	P	342	51	147	144				13.0	4.0				17.0																
	2D	Gravel	P	251	71	180					12.6					12.6																
	2S1	Lumber	P	381	42	139	200				14.6	18.4				33.0		11.1								11.1						
	3-2	Gas	H	751	93	145	150	180	183		18.2	4.4	14.0	18.8		55.4				1.7			B-D	2.4				1.7		4.5	B-D	12.9
	3S2	Lumber	P	574	64	124	121	143	122		14.1	3.9	20.4	4.0		42.4															B-E	0.1
	2S1	Ice Cream	P	313	51	130	132				13.3	13.8				27.1																
	2S2	Mach.	H	539	85	173	143	138			15.9	17.4	4.0			37.3															B-D	1.3
	3	Gravel	P	357	55	159	143				11.9	3.4				15.3																
	2D	Gravel	P	262	91	171					12.6					12.6																
	3-2	Empty	H	307	85	63	60	50	49		18.0	4.1	12.6	18.6		53.3																
	3-2	Empty	H	297	82	63	61	51	40		18.0	4.1	12.6	18.6		53.3																
	3	Gravel	P	346	60	142	144				13.0	4.0				17.0																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[illegible]E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLE GROUP		AXLE LOAD						MAXIMUM AXLE GROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
7	3-2	Gas	H	753	98	152	149	179	175		14.4	4.3	16.8	20.4		55.9														3.7	B-D	7.1
	3S2	Frt.	H	341	75	71	83	60	52		16.0	4.2	22.0	4.3		46.5																
	3-3	Frt.	H	600	93	121	118	132	67	69	13.7	4.2	13.6	19.6	4.2	55.3																
	2D	Gravel	P	260	83	177					12.6					12.6																
	3-2	Empty	H	285	78	61	58	46	42		15.8	4.2	16.6	19.0		55.6																
	2S1	Flour	P	414	61	175	178				13.0	20.6				33.6																
	3	Gravel	P	360	54	161	145				11.9	3.4				15.3																
	3S2	Frt.	H	431	89	107	93	69	73		15.4	4.2	22.2	4.0		45.8																
	3S2	Mach.	P	570	87	130	135	110	108		14.3	4.3	22.8	3.6		45.0																
	3	Gravel	P	359	70	147	142				12.3	3.8				16.1																
	2S2	Mach.	P	312	69	108	66	69			12.0	20.0	3.4			35.4																
	3-2	Gas	H	745	91	152	155	174	173		15.9	4.2	16.4	18.6		55.1														3.6	B-E	9.0
	3-2	Gas	H	735	98	130	153	178	176		18.4	4.3	13.8	18.8		55.3														2.2	B-D	9.6
	3-2	Empty	H	296	80	66	58	48	44		15.2	4.4	18.2	18.2		56.0																
	3-2	Gas	H	724	91	150	153	157	173		15.4	4.3	15.8	20.2		55.7															B-D	4.8
	3	Gravel	P	359	48	165	146				11.9	4.0				15.9																
	2D	Gravel	P	261	75	186					12.7					12.7	3.3								3.3							

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
7	3-3	Empty	H	314	73	53	59	57	35	37	13.7	4.4	13.6	19.6	4.2	55.5																
	2S1	Hay	P	372	54	148	169				13.0	17.9				30.9																
	3	Gravel	P	369	53	160	156				13.0	4.0				17.0																
	3-2	Empty	H	297	84	56	54	49	54		15.6	4.3	16.5	19.4		55.8																
	2S2	Empty	H	294	85	113	48	48			15.9	16.9	4.3			37.1																
	3-2	Gas	H	746	90	155	156	176	169		13.8	4.4	16.8	18.8		53.8															4.8	B-D	8.7
	3-2	Gas	H	772	97	158	156	181	180		15.4	4.3	15.8	20.2		55.7			0.6			1.0	B-D	3.1			0.6			6.4	B-D	12.8
	3S2	Empty	H	300	86	67	64	36	47		15.4	4.4	22.3	4.3		46.4																
	3-2	Gas	H	750	97	151	153	178	171		18.4	4.3	13.8	18.8		55.3							B-D	3.9						4.3	B-D	14.5
	3-2	Empty	H	304	83	72	57	49	43		15.2	4.4	18.2	18.2		56.0																
	3	Gravel	P	367	76	156	135				12.3	4.0				16.3																
	3-2	Gas	H	757	96	152	160	176	173		15.5	4.4	16.5	19.5		55.9														4.3	B-D	8.9
	2D	Gravel	P	267	88	179					12.6					12.6																
	2D	Gravel	P	266	88	178					12.6					12.6																
	3-2	Gas	H	752	96	149	155	182	170		17.3	4.4	14.6	19.4		55.7			1.1				B-D	3.0			1.1			3.6	B-D	13.0
	2D	Gravel	P	259	68	191					12.7					12.7	6.1								6.1							
	3	Gravel	P	351	51	159	141				11.9	3.4				15.3																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]RE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
7	3-2	Empty	P	284	80	57	56	46	45		18.4	4.3	14.4	18.1		55.2																
	3S2	Empty	H	301	74	67	66	40	54		16.9	4.5	22.4	4.1		47.9																
	3S2	Empty	H	285	70	70	61	42	42		10.6	4.3	20.6	4.3		39.8																
	3S2	Frt.	H	285	79	61	66	40	39		15.9	4.3	22.4	4.0		46.6																
	3-2	Gas	H	749	83	160	165	173	168		15.9	4.4	16.9	19.0		56.2							B-D	2.0						3.2	B-D	11.2
	3-2	Empty	H	270	78	56	56	43	37		16.9	4.6	14.1	19.9		55.5																
	3S2	Empty	P	334	92	72	76	54	40		16.8	4.0	28.2	4.1		53.1																
	3-2	Cement	H	730	97	151	156	161	165		17.6	4.0	15.1	17.8		54.5														1.5	B-D	8.9
	3-2	Gas	P	749	95	153	154	176	171		18.2	4.4	14.1	18.8		55.5							B-D	2.3						3.2	B-D	12.4
	3-2	Lumber	P	623	75	176	154	105	113		16.4	4.0	15.3	16.6		52.3							B-D	3.1							B-D	3.1
	3S2	Frt.	H	449	87	98	81	82	101		13.4	4.4	21.9	4.2		43.9																
	3S2	Frt.	H	432	89	106	98	68	71		15.9	4.4	22.4	4.2		46.9																
	3-2	Gas	H	738	93	149	158	169	169		19.3	4.3	13.7	18.4		55.7							B-D	2.6						1.7	B-D	13.1
	2S2	Frt.	H	491	78	177	115	121			15.4	23.3	4.2			42.9																
	2S2	Mach.	P	366	59	117	93	97			16.6	24.2	4.2			45.0																
	3-2	Empty	H	303	81	68	56	50	48		18.2	4.2	13.8	19.1		55.3																
	2S2	Mach.	P	613	77	181	179	176			16.4	19.1	3.9			39.4	0.6						C-D	10.9	0.6					2.2	B-D	15.2

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
7	3S2	Mach.	H	594	71	104	101	159	159		12.7	4.0	18.0	4.0		38.7															B-E	6.3
	3-2	Gas	P	745	96	141	153	177	178		18.3	4.4	14.3	18.1		55.1													3.6	B-E	11.1
	3-2	Gas	H	736	95	147	142	178	174		17.8	4.2	13.9	20.2		56.1							B-D	0.6						1.4	B-D	11.0
	3-2	Empty	H	298	79	66	59	47	47		16.0	4.3	16.6	18.7		55.6																
	3-2	Gas	H	727	87	153	150	168	169		17.1	4.0	15.4	18.8		55.3														1.1	B-D	9.6
	3S2	Empty	H	306	84	69	67	41	45		15.4	4.4	22.5	4.0		46.3																
	3-2	Gas	H	736	89	155	153	172	167		17.0	4.1	15.2	19.1		55.4							B-D	0.6						1.4	B-D	11.0
	2S2	Cement	P	582	73	198	151	160			13.9	16.7	4.2			34.8	10.0						B-C	4.3	10.0					2.5	B-C	13.6
	3-2	Gas	H	757	92	152	162	179	172		17.6	4.4	14.9	19.2		56.1							B-D	4.4						4.3	B-D	14.7
	2S2	Mach.	H	561	86	165	151	159			15.8	16.6	4.3			36.7															B-D	6.0
	3-2	Gas	H	767	95	155	157	183	177		16.9	4.7	14.3	20.0		55.9			1.7				B-D	4.9			1.7			5.7	B-D	15.1
	3S2	Frt.	H	529	83	121	122	108	95		16.1	4.3	22.1	4.3		46.8																
	3-3	Frt.	H	599	95	120	111	131	73	69	13.7	4.4	13.7	19.6	4.2	55.6																
8	3-2	Gas	H	758	93	157	158	175	175		17.3	4.3	14.7	19.2		55.5							B-D	3.8						4.4	B-D	14.0
	2S2	Empty	H	308	89	123	48	48			16.0	19.8	4.0			39.8																
	2S2	Trailer	P	333	67	104	81	81			12.7	17.2	4.0			33.9																
	3	Groc.	P	349	92	128	129				15.6	3.9				19.5																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TO[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR [illegible]RE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
8	3-2	Gas	H	764	102	157	157	175	173		14.0	4.4	18.2	19.1		55.7														5.2	B-E	6.2
	2S2	Mach.	H	313	69	123	60	61			13.2	18.4	3.7			35.3																
	3S2	Frt.	H	550	80	131	132	103	104		16.0	4.4	22.4	4.0		46.8																
	3S2	Frt.	H	301	79	68	68	43	43		16.0	4.4	22.5	4.0		46.9																
	3-2	Empty	P	307	83	62	62	51	49		18.3	4.4	14.2	18.8		55.7																
	3S2	Frt.	H	503	84	120	121	89	89		16.7	4.3	18.3	4.0		43.3																
	2S1	Cars	P	340	73	142	125				12.7	25.4				38.1																
	3-3	Frt.	H	563	81	133	132	105	56	56	13.7	4.2	13.7	19.6	4.3	55.5																
	2S1	Groc.	P	343	52	179	112				15.5	15.3				30.8																
	3-2	Gas	P	767	95	155	155	180	182		18.2	4.3	14.0	18.7		55.2				1.1		0.9	B-D	5.6				1.1		6.7	B-D	16.4
	3-2	Lumber	P	703	79	158	158	115	193		15.3	4.5	17.1	16.6		53.5				7.2								7.2			B-E	5.4
	3	Groc.	P	274	85	95	94				15.7	4.0				19.7																
	3S2	Butter	P	645	86	147	147	132	133		12.7	4.0	18.3	4.2		39.2														7.5	B-E	11.6
	2S2	Lumber	P	573	85	172	158	158			10.1	20.8	4.3			35.2														0.9	B-D	0.9
	3-2	Gas	H	744	98	153	153	170	170		18.9	4.0	15.0	18.2		56.1							B-D	0.8						2.5	B-D	10.7
	2D	Gravel	P	231	46	185					13.5					13.5	2.8								2.8							
	3S2	Empty	H	312	88	70	71	41	42		15.5	4.3	22.3	4.3		46.4																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
8	2S1	Cars	H	366	70	150	146				11.0	26.5				37.5																
	2S2	Mach.	P	326	68	139	59	60			15.4	19.7	4.0			39.1																
	3-2	Gas	H	765	90	159	159	180	177		17.5	4.4	15.0	19.1		56.0						0.1	B-D	5.5						5.4	B-D	15.8
	3	Butter	P	271	75	98	98				13.5	4.0				17.5																
	3S2	Empty	P	352	92	78	78	52	52		15.5	4.5	25.2	4.0		49.2																
	3-2	Gas	H	760	90	157	157	178	178		15.5	4.3	16.4	19.4		55.6							B-D	0.8						4.7	B-E	10.2
	3S2	Empty	P	299	77	69	69	42	42		15.4	4.5	25.2	4.0		49.1																
	3-2	Gas	H	762	101	157	158	173	173		18.3	4.3	14.7	18.2		55.5							B-D	3.4						5.0	B-D	13.5
	3S2	Lumber	P	705	91	157	157	150	150		14.9	4.2	23.0	4.0		46.1						2.5	B-E	1.7						7.8	B-E	14.8
	3-2	Empty	H	315	84	67	67	51	46		17.6	4.4	15.0	19.0		56.0																
	3-2	Empty	H	318	88	66	66	51	47		18.2	4.0	14.7	18.2		55.1																
	3S2	Empty	H	483	91	137	138	58	59		18.8	4.2	26.2	4.2		53.4																
	3-2	Empty	H	313	83	67	67	50	46		16.1	4.0	15.1	19.2		54.4																
	3-2	Empty	H	321	82	70	71	51	47		17.3	4.4	14.0	19.9		55.6																
	3	Mach.	P	378	92	143	143				13.5	4.0				17.5																
	3-2	Empty	P	286	80	57	58	46	45		18.3	4.3	14.4	18.0		55.0																
	2S2	Trailer	P	331	66	102	81	82			15.4	19.7	4.0			39.1																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
8	3-2	Empty	H	301	83	62	62	47	47		17.0	4.0	14.8	15.9		51.7																
9	3-3	Gas	H	734	91	135	138	135	116	119	16.3	4.3	13.3	15.0	4.0	52.9														4.1	B-F	10.1
	3	Trailer	P	293	89	102	102				14.5	4.0				18.5																
	3-2	Bottles	P	468	103	126	128	57	54		15.8	4.3	16.3	15.5		51.9																
	3S2	Posts	P	555	48	103	99	160	145		14.5	4.0	16.6	4.0		39.1															B-E	4.9
	2S1	Prod.	P	426	56	195	175				13.3	17.5				30.8	8.3								8.3							
	3-2	Gas	H	718	71	155	154	177	161		15.9	4.4	17.0	19.0		56.3															B-D	8.5
	3-2	Gas	P	715	79	145	141	180	170		16.8	4.4	14.6	19.8		55.6															B-D	8.4
	3-2	Gas	H	733	92	145	144	175	177		18.3	4.4	14.3	18.0		55.0														1.9	B-E	9.7
	3-2	Gas	H	733	84	155	157	171	166		18.6	4.0	14.3	18.4		55.3							B-D	4.1						1.9	B-D	14.8
	2S2	Logs	P	491	67	165	130	129			14.6	18.0	4.0			36.6																
	3S2	Frt.	H	419	87	108	102	66	56		15.9	4.0	24.0	4.0		47.9																
	3-2	Empty	H	300	81	63	63	48	45		17.8	4.4	16.9	18.8		57.9																
	3	Lumber	P	428	61	186	181				13.7	4.4				18.1	3.3	0.6					B-C	14.7	3.3	0.6				1.7	B-C	14.7
	2S2	Mach.	P	308	40	115	72	81			12.5	22.4	4.0			38.9																
	2S2	Mach.	P	528	60	215	128	125			13.3	26.2	4.4			43.9	19.4								19.4							
	3-2	Empty	P	281	79	56	52	50	44		17.0	4.3	14.8	20.0		56.1																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
9	2S2	Logs	P	520	63	185	138	134			14.5	18.0	3.8			36.3	2.8								2.8							
	2D	Conc.	P	251	52	199					13.2					13.2	10.6								10.6							
	3	Timber	P	407	67	169	171				13.6	4.4				18.0							B-C	6.3							B-C	6.3
	3	Lumber	P	271	43	115	113				12.8	3.8				16.6																
	2S2	Logs	P	596	65	200	165	166			14.6	18.0	4.4			37.0	11.1						B-D	7.1	11.1					2.0	B-D	16.2
	3S2	Frt.	H	538	88	151	145	81	73		14.8	4.2	26.3	4.2		49.5																
	3S2	Poles	P	398	45	90	86	93	84		14.5	4.0	16.5	4.0		39.0																
	2D	Logs	P	222	35	187					13.2					13.2	3.9								3.9							
	3-2	Empty	P	283	79	58	52	51	43		16.9	4.3	14.7	20.0		55.9																
	2S1	Cars	H	301	41	134	126				11.5	27.3				38.8																
	3	Timber	P	384	77	156	151				13.8	4.0				17.8																
	2S1	Lumber	P	351	44	142	165				14.7	18.4				33.1																
	2S2	Logs	P	535	65	173	150	147			14.6	18.2	4.0			36.8															B-D	2.8
	3S2	Poles	P	468	45	81	80	128	134		14.5	4.0	16.5	4.0		38.0																
	3S2	Logs	P	584	52	141	124	134	133		13.2	4.0	17.6	4.0		38.8															B-E	8.1
	3-2	Empty	H	301	80	66	63	49	43		15.8	4.2	15.4	19.4		54.8																
	3S2	Frt.	H	382	91	80	86	67	58		15.0	4.3	21.9	4.4		45.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[illegible] AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT [illegible] LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
9	2S2	Logs	P	546	74	177	147	148			14.5	18.2	4.3			37.0															B-D	1.3
	3-2	Gas	H	745	88	148	158	177	174		17.3	4.4	14.7	19.4		55.8							B-D	2.3						2.6	B-D	12.4
	3S2	Lumber	P	735	94	169	165	155	152		14.8	4.2	24.2	4.0		47.2						5.6	A-E	5.6						11.1	B-E	18.0
	3-2	Empty	H	290	80	58	60	46	46		17.3	4.3	14.7	19.4		55.7																
10	3-2	Prod.	P	719	86	146	146	154	187		17.0	4.4	13.6	19.8		54.8				3.9											B-E	6.9
	3-3	Frt.	H	691	95	129	129	143	97	98	13.6	4.2	13.6	19.6	4.2	55.2																
	3	Wheels	P	291	79	106	106				15.0	4.2				19.2																
	2S2	Prod.	P	557	92	185	140	140			13.3	17.8	4.0			35.1	2.8								2.8						B-D	1.8
	2S2	Mach.	P	366	58	127	90	91			13.0	27.4	4.0			44.4																
	3-2	Empty	H	288	77	57	57	49	48		15.4	4.4	16.0	19.0		54.8																
	3-2	Empty	P	279	73	59	60	48	39		15.4	4.6	18.0	12.5		50.5																
	2S2	Logs	P	586	59	239	144	144			14.6	19.4	4.0			38.0	32.8						B-D	4.6	32.8						B-D	13.1
	3S2	Frt.	H	496	79	106	106	103	102		10.6	4.0	20.6	4.0		39.2																
	3S2	Frt.	H	683	86	138	139	160	160		13.0	4.4	24.8	4.0		46.2														4.4	B-E	8.2
	3S2	Lead	H	693	97	156	157	142	141		14.0	4.3	22.8	3.6		44.7						1.9	A-E	1.9						7.2	B-E	11.4
	2D	Prod.	P	247	67	180					14.4					14.4																
	3-2	Empty	H	291	83	59	59	49	41		16.0	4.3	16.0	19.6		55.9																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	3S2	Empty	H	312	81	68	69	47	47		15.2	4.3	22.0	4.0		45.5																
	2S1	Furn.	H	355	53	134	168				11.8	23.0				34.8																
	2S1	Groc.	P	406	50	179	177				10.6	14.6				25.2																
	3S2	Frt.	H	364	85	80	79	60	60		16.9	4.4	22.8	4.2		48.3																
	3S2	Prod.	P	676	81	142	141	156	156		15.2	4.0	24.0	4.0		47.2														2.2	B-E	9.5
	3S2	Frt.	H	649	96	117	117	160	159		12.5	4.3	24.6	4.0		45.4														0.4	B-E	0.3
	2S2	Logs	P	651	52	197	204	198			14.0	16.4	4.0			34.4	9.4	13.3	10.0			3.5	C-D	25.6	9.4	13.3	10.0			16.3	B-D	36.4
	3-2	Empty	H	311	87	64	64	50	46		17.0	4.2	19.3	13.6		54.1																
	3S2	Mach.	P	589	110	120	119	120	120		14.0	4.5	23.5	4.0		46.0																
	2S2	Prod.	P	606	93	188	162	163			12.9	18.8	4.2			35.9	4.4						B-D	1.8	4.4					5.2	B-D	10.1
	3-2	Lumber	P	629	97	140	141	126	125		15.4	4.6	18.0	11.5		49.5																
	3S2	Logs	P	812	91	172	171	189	189		15.0	4.2	17.4	4.0		40.6			5.0	5.0		19.4	B-E	28.5			5.0	5.0		31.9	B-E	46.5
	3-2	Prod.	P	697	91	136	136	169	165		18.4	4.6	15.0	17.0		55.0															B-E	3.7
	2S2	Logs	P	400	41	158	100	101			14.6	9.2	4.0			27.8																
	3S2	Mach.	P	529	95	115	116	102	101		16.7	4.6	23.3	4.0		48.6																
	3-3	Frt.	H	646	85	100	100	171	95	95	13.7	4.2	13.6	19.6	4.2	55.3																
	3-3	Frt.	H	612	87	121	122	149	66	67	13.6	4.2	13.6	19.6	4.2	55.2																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[illegible] AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 1[illegible] LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	3S2	Empty	H	339	80	76	75	54	54		17.1	4.4	29.5	4.2		55.2																
	3S2	Empty	P	320	89	70	71	45	45		17.0	4.4	25.0	4.2		50.6																
	3S2	Frt.	H	632	87	128	129	144	144		11.0	4.3	25.0	4.3		44.6																
	3S2	Empty	P	338	87	78	77	48	48		14.5	4.0	22.2	4.0		44.7																
	3S2	Empty	P	287	84	62	62	40	39		16.9	4.6	24.8	4.0		50.3																
	3-3	Frt.	H	572	75	138	137	111	56	55	13.7	4.3	13.6	19.6	4.2	55.4																
	3S2	Frt.	H	510	87	86	85	126	126		10.6	4.2	20.6	4.2		39.6																
	3S2	Lumber	P	572	72	116	117	133	134		12.0	4.0	18.6	4.4		39.0																
	2S1	Furn.	H	286	42	115	129				13.6	22.8				36.4																
	3S2	Frt.	H	508	87	113	113	98	97		10.6	4.2	20.6	4.2		39.6																
	2S2	Prod.	P	575	91	176	154	154			14.0	19.3	4.0			37.3															B-D	3.9
	3S2	Frt.	H	573	85	120	120	124	124		10.6	4.2	20.6	4.2		39.6																
	2S1	Cars	H	309	37	134	138				11.3	26.6				37.9																
	3-3	Frt.	H	634	84	138	137	119	78	78	13.6	4.3	13.7	19.6	4.2	55.4																
	3S2	Empty	P	343	91	75	75	51	51		14.0	4.3	23.8	4.2		46.3																
	2S2	Prod.	P	567	70	169	164	164			13.8	18.2	3.8			35.8							D-E	2.5							B-D	8.8
	3S2	Frt.	H	541	86	110	109	118	118		10.6	4.2	20.6	4.2		39.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	3	Lumber	P	299	54	122	123				12.2	3.6				15.8																
	2S1	Wheat	P	358	67	138	153				13.6	17.3				30.9																
	3-3	Frt.	H	609	92	121	121	131	72	72	13.6	4.3	13.6	19.6	4.3	55.4																
	3-3	Frt.	H	631	89	96	95	168	92	91	13.7	4.3	13.6	19.6	4.2	55.4																
	2S1	Auto Parts	H	342	45	157	140				10.8	27.6				38.4																
	3S2	Prod.	P	660	86	135	135	152	152		17.5	4.2	21.2	4.2		47.1															B-E	9.0
	3S2	Frt.	H	654	87	141	141	142	143		11.3	4.3	24.0	4.0		43.6						2.4	E-D	4.4								
	3S2	Frt.	H	581	84	102	101	147	147		10.6	4.4	17.2	4.0		36.2						0.9	B-E	1.0								
	2S1	Bread	P	292	53	126	113				13.4	23.5				26.9																
	3S2	Empty	H	278	81	56	56	43	42		13.3	4.2	23.0	4.0		44.5																
	3S2	Empty	H	368	82	75	74	69	68		13.3	4.2	23.0	4.0		44.5																
	3-3	Frt.	H	609	100	108	107	101	96	97	13.6	4.2	13.7	19.6	4.2	55.3																
	3S2	Frt.	H	633	92	138	137	133	133		18.2	4.3	23.0	4.0		49.5															B-E	1.1
	3S2	Frt.	H	497	91	105	105	98	98		10.6	4.2	20.6	4.2		39.6																
	3S2	Meat	P	594	84	142	141	113	114		18.4	4.4	24.8	4.0		51.6																
	3S2	Frt.	H	583	88	128	127	120	120		10.6	4.2	20.3	4.2		39.3																
	2S1	Cars	H	316	68	126	122				10.7	26.0				36.7																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 12 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	3S2	Prod.	P	681	94	136	136	158	157		10.0	4.2	25.0	4.0		43.2						0.1	A-E	0.1						7.9	A-E	7.9
	2-3	Rd.Oil	H	661	89	185	163	112	112		17.3	14.3	17.8	4.2		53.6	2.8								2.8							
	2S1	Frt.	H	331	69	157	105				14.0	18.0				32.0																
	3	Wheels	P	292	79	107	106				15.0	4.2				19.2																
	3S2	Frt.	H	587	91	119	120	128	129		10.6	4.3	20.6	4.3		39.8																
	3S2	Frt.	H	593	93	119	119	131	131		10.6	4.2	18.7	4.2		37.7														0.1	A-E	0.1
	3S2	Frt.	H	663	89	134	135	152	153		10.6	4.2	25.0	4.0		43.8														3.8	B-E	4.1
	3S2	Logs	P	766	72	164	165	182	183		14.2	4.0	17.0	4.0		39.2			1.1	1.7		14.1	B-E	25.6			1.1	1.7		27.6	B-E	43.5
	2S1	Frt.	H	344	70	158	116				13.6	17.6				31.2																
	3-2	Gas	H	764	95	158	158	173	180		19.4	4.4	14.3	18.2		56.3							B-D	3.6						5.2	B-E	14.5
	3-2	Gas	H	749	84	160	159	177	169		15.7	4.5	15.8	18.3		54.3							B-D	3.3						5.2	B-D	13.0
	3-2	Gas	H	726	86	148	149	172	171		16.0	4.1	16.8	19.3		56.2														0.1	B-E	5.3
	3-2	Gas	H	752	92	153	153	176	178		15.6	4.3	17.0	19.6		56.5														2.6	B-D	7.6
	3S2	Frt.	H	540	90	118	118	107	107		16.4	4.4	19.0	4.2		44.0																
	3S2	Frt.	H	609	91	131	132	128	127		10.6	4.2	20.6	4.2		39.6														0.2	A-E	0.2
	3-3	Frt.	H	672	85	138	138	122	94	95	13.6	4.2	13.6	19.6	4.2	55.2																
	2S2	Empty	P	298	80	108	55	55			14.6	22.5	3.8			40.9																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	3S2	Logs	P	681	88	143	143	153	154		15.2	4.2	18.2	4.0		41.6						0.1	B-E	5.7						9.2	B-E	20.5
	2S1	Furn.	H	393	71	173	149				13.8	25.9				39.7																
	2S1	Hdw.	P	329	52	133	144				12.0	25.6				37.6																
	3-2	Empty	H	318	88	67	67	49	47		17.6	4.2	12.8	19.4		54.0																
	3-2	Lumber	P	641	98	140	139	126	138		15.2	4.6	16.0	12.0		47.8																
	2D	Milk	P	254	68	186					15.0					15.0	3.3								3.3							
	3S2	Empty	P	318	90	65	66	48	49		9.6	4.2	24.8	4.0		42.6																
	3	Frt.	H	295	61	117	117				15.8	4.1				19.9																
	3-3	Frt.	H	713	85	140	140	145	102	101	13.6	4.4	13.6	19.6	4.4	55.6															B-D	1.0
	2S1	Fish	P	477	61	206	210				14.8	17.8				32.6	14.4	16.7							14.4	16.7						
	2S1	Furn.	H	311	55	134	122				11.8	24.0				35.8																
	3S2	Frt.	H	595	91	109	108	143	144		10.6	4.2	20.6	4.0		39.4																
	3	Wheels	P	296	80	108	108				15.0	4.2				19.2																
	3-2	Empty	H	337	83	66	67	61	60		15.4	4.5	13.6	21.0		54.5																
	3S2	Prod.	P	566	91	127	127	111	110		14.2	4.2	22.4	4.2		45.0																
	3-2	Empty	P	279	76	58	57	48	40		15.2	4.6	16.0	12.0		47.8																
	3-3	Beer	P	757	91	155	155	135	110	111	18.4	4.4	13.0	14.2	3.0	53.0						1.7	B-F	4.5						7.4	B-F	17.3

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
10	2S2	Frt.	H	586	89	171	163	163			12.4	20.4	4.0			36.8														0.3	B-D	4.7
	3S2	Frt.	H	585	85	119	118	132	131		10.6	4.3	22.8	4.0		41.7																
	3S2	Frt.	H	559	90	111	112	123	123		13.0	4.4	24.0	4.3		45.7																
	2S1	Feed	P	404	72	166	166				13.8	17.6				31.4																
	2S2	Logs	P	503	56	217	115	115			14.6	19.3	4.2			38.1	20.6								20.6							
	3-2	Empty	H	316	87	65	65	51	48		18.4	4.4	15.0	18.8		56.6																
	3S2	Empty	P	265	72	60	60	36	37		15.4	4.4	22.8	4.1		46.7																
	3S2	Empty	H	333	82	76	76	50	49		15.0	4.4	22.1	4.0		45.5																
	3-3	Frt.	H	529	98	98	98	109	63	63	13.6	4.4	13.6	19.6	4.4	55.6																
	2S1	Furn.	H	323	50	142	131				11.0	26.0				37.0																
	2S1	Furn.	H	378	52	172	154				11.3	27.3				38.6																
	3-2	Gas	H	719	89	144	143	173	170		18.0	4.5	13.4	18.5		54.4														1.0	B-E	9.4
	3S2	Logs	P	565	64	131	131	120	119		14.5	4.0	15.2	3.7		37.4															B-E	7.5
	3S2	Logs	P	711	89	161	162	150	149		15.2	4.2	18.2	4.0		41.6						4.6	B-E	10.9						14.0	B-E	26.4
	3-2	Empty	H	313	88	64	64	49	48		18.7	4.2	14.2	18.4		55.5																
	2S2	Empty	H	262	81	50	51	42	38		16.1	4.1	16.8	19.3		56.3																
	3	Mach.	P	302	67	112	113				14.8	4.0				18.8																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																	
10	3-2	Lumber	P	671	102	152	152	121	144		15.2	4.6	16.0	12.0		47.8														0.3	B-E	3.2
	3S2	Peaches	P	447	68	116	115	74	74		13.4	4.0	22.6	4.0		44.0																	
	3S2	Empty	H	340	88	69	69	57	57		16.6	4.4	23.4	4.2		48.6																	
	2S2	Prod.	P	566	105	172	144	145			13.2	18.4	4.0			35.6															B-D	0.9
	3-2	Prod.	P	710	99	136	136	173	166		17.4	4.3	14.3	20.0		56.0															B-D	3.5
	3-2	Empty	H	301	84	62	62	50	43		16.0	4.1	16.8	19.3		56.2																	
	3	Mach.	P	281	81	100	100				15.8	4.0				19.8																	
11	3S2	Boxes	P	348	83	78	78	54	55		15.4	4.4	24.4	4.0		48.2																	
	3-2	Rd.Oil	H	741	97	148	149	176	171		17.0	4.2	17.9	16.5		55.6														2.1	B-E	7.3
	3-2	Gas	H	706	92	141	140	165	168		18.6	4.4	14.4	18.7		56.1															B-D	3.7
	3-2	Lumber	P	668	78	163	164	129	134		15.6	4.0	18.3	14.2		52.1							B-D	2.2							B-D	2.2
	3-2	Lumber	P	699	92	143	143	152	169		15.7	4.0	16.2	14.2		50.1														2.3	B-E	8.4
	3-2	Gas	H	737	99	150	151	169	168		17.5	4.0	15.8	18.2		55.5														1.5	B-E	7.7
	3-2	Gas	H	710	91	143	144	166	166		16.8	4.3	15.4	20.6		57.1															B-D	3.2
	3S2	Frt.	P	681	84	141	141	158	157		10.6	4.3	24.6	4.0		43.5						0.1	A-E	0.1						6.6	B-E	8.2
	3S2	Prod.	P	641	85	145	146	132	133		17.0	4.2	25.2	3.8		50.2															B-E	0.8
	3S2	Empty	H	283	78	61	62	41	41		15.2	4.4	24.3	4.0		47.9																	

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[illegible]E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	3-2	Gas	H	754	98	151	152	178	175		18.0	4.2	14.6	18.6		55.4							B-D	1.9						4.9	B-E	12.3
	3-2	Gas	H	730	86	153	153	171	167		16.0	4.3	16.6	18.8		55.7														0.6	B-D	6.5
	3-2	Gas	H	749	98	152	152	179	168		18.7	4.0	14.7	18.2		55.6							B-D	2.3						3.2	B-D	12.4
	3-2	Gas	H	746	93	159	160	170	164		18.7	4.3	15.0	18.4		56.4							B-D	3.6						2.8	B-D	13.7
	3-3	Frt.	H	632	95	122	122	133	80	80	13.7	4.3	13.6	19.6	4.3	55.5																
	3S2	Frt.	H	496	81	81	82	126	126		10.6	4.2	20.6	4.3		39.7																
	3-3	Frt.	H	631	83	137	138	96	88	89	13.6	4.2	13.7	19.6	4.2	55.3																
	3-2	Pop	P	742	90	157	157	168	170		15.4	4.6	16.0	17.6		53.6														4.2	B-E	10.1
	2S2	Empty	P	285	77	106	51	51			14.5	22.6	3.7			40.8																
	3-2	Oil	H	769	104	158	159	176	172		17.9	4.1	13.9	20.2		56.1							B-D	6.3						5.9	B-D	17.2
	3-3	Frt.	H	511	90	107	107	110	48	49	13.6	4.2	13.6	19.6	4.2	55.2																
	3S2	Frt.	H	606	88	124	124	135	135		10.6	4.2	20.6	4.2		39.6																
	3S2	Frt.	H	425	83	95	96	75	76		16.3	4.4	26.4	4.2		51.3																
	3S2	Groc.	P	370	83	82	82	62	61		14.8	4.4	22.8	3.9		45.9																
	2S2	Posts	P	435	51	138	123	123			13.1	18.2	4.1			35.4																
	3-2	Empty	P	296	66	68	68	51	43		15.6	4.0	18.3	14.2		52.1																
	2S1	Furn.	H	334	55	131	148				11.8	23.9				35.7																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	2S1	Furn.	H	365	40	145	180				11.2	26.0				37.2																
	3-2	Gas	H	737	90	151	152	173	171		15.6	4.2	16.5	19.3		55.6														1.5	B-E	6.4
	3-2	Butane	P	751	91	155	155	175	175		16.9	4.3	18.3	18.2		57.7														2.5	B-E	7.2
	3-3	Frt.	H	586	87	118	117	110	77	77	13.6	4.2	13.6	19.6	4.3	55.3																
	3-2	Gas	H	741	84	153	153	173	178		18.6	4.3	13.6	19.3		55.8							B-D	3.2						2.1	B-D	13.8
	3	Feed	P	406	86	160	160				16.0	4.0				20.0																
	3S2	Empty	P	290	80	63	64	41	42		17.0	4.6	24.6	4.2		50.4																
	3S2	Empty	P	276	85	59	60	36	36		15.8	4.2	26.8	4.0		50.8																
	2S2	Boxes	P	260	49	92	59	60			14.4	18.1	4.0			36.5																
	3S2	Frt.	H	519	88	114	114	101	102		15.3	4.4	21.8	4.0		45.5																
	2S1	Furn.	H	287	55	122	110				11.8	20.4				32.2																
	3S2	Frt.	H	532	90	116	115	105	106		12.7	4.4	24.7	4.2		46.0																
	2S2	Bottles	P	395	68	149	89	89			13.8	15.0	3.9			32.7																
	3-3	Frt.	H	665	91	100	100	91	141	142	13.6	4.2	13.6	19.6	4.2	55.2																
	3-2	Empty	H	275	77	53	53	47	45		15.8	4.2	16.8	18.8		55.6																
	2S2	Peaches	P	589	88	183	159	159			13.8	18.6	4.0			36.4	1.7								1.7					2.2	B-D	7.5
	3-3	Frt.	H	575	79	115	116	111	77	77	13.6	4.3	13.6	19.6	4.3	55.4																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT[illegible] WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M[illegible]E AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD						MAXIMUM AXLEGROUP		AXLE LOAD						MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT	B	C	D	E	F	GROSS WEIGHT	AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	3-2	Gas	H	745	85	154	155	175	176		16.2	4.3	15.2	19.8		55.5							B-D	0.8						2.6	B-D	10.3
	2S2	Frt.	H	513	92	148	136	137			12.9	18.7	4.0			35.6																
	3S2	Frt.	H	574	80	158	159	88	89		15.2	4.4	24.8	3.9		48.3																
	3-3	Frt.	H	372	87	82	81	49	36	37	13.6	4.3	13.7	19.6	4.3	55.5																
	3-2	Empty	H	289	77	58	58	49	47		16.8	4.3	15.4	20.6		57.1																
	3S2	Empty	P	303	85	67	68	41	42		16.5	4.3	23.9	3.9		48.6																
	3S2	Frt.	H	593	87	133	133	120	120		15.5	4.2	19.9	4.0		43.6																
	3S2	Mach.	H	512	89	113	113	98	99		15.5	4.0	25.1	4.0		48.6																
	3-2	Empty	H	272	75	51	52	47	47		16.3	4.2	15.2	20.0		55.7																
	3-2	Empty	H	289	83	56	57	48	45		15.8	4.2	16.6	19.3		55.9																
	3S2	Frt.	H	476	83	105	105	91	92		16.2	4.4	22.9	3.9		47.4																
	3-2	Empty	H	303	84	62	61	49	47		17.8	4.1	13.9	20.2		56.0																
	3-2	Gas	H	736	90	154	154	170	168		15.9	4.2	17.1	18.6		55.8														1.4	B-D	6.7
	3-2	Empty	H	322	92	66	67	49	48		17.6	4.0	15.8	18.2		55.6																
	3-2	Gas	H	740	91	156	157	170	166		16.3	4.3	15.8	18.3		54.7							B-D	0.6						2.9	B-D	10.0
	3-2	Lumber	P	679	80	130	130	179	160		15.6	4.0	18.3	14.2		52.1															B-E	2.5
	3S2	Milk	P	664	86	135	136	154	153		17.4	4.4	24.4	4.3		50.5															B-E	4.8

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL W[illegible]HT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE [illegible]LES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	3S2	Frt.	H	644	90	150	151	126	127		15.6	4.0	26.6	4.0		50.2																
	2S1	Furn.	H	334	53	132	149				12.0	26.0				38.0																
	3-2	Gas	P	750	87	153	154	179	177		17.2	4.0	15.3	19.4		55.9							B-D	3.0						3.3	B-D	13.0
	3-2	Empty	P	277	73	54	54	50	46		15.6	4.0	16.2	14.4		50.2																
	3S2	Frt.	H	573	85	156	157	87	88		15.2	4.4	24.4	4.0		48.0																
	2S1	Furn.	H	267	56	123	88				13.2	20.8				34.0																
	3-2	Empty	P	273	64	56	56	53	44		15.6	4.0	18.0	14.2		51.8																
	2S1	Cattle	P	351	42	147	162				13.2	20.4				33.6																
	3-2	Empty	H	317	91	64	64	49	49		18.4	4.4	14.2	17.9		54.9																
	3S2	Frt.	H	696	87	151	152	153	153		14.2	4.3	26.6	4.0		49.1														2.9	B-E	7.2
	3	Brick	P	327	55	136	136				14.9	4.0				18.9																
	3-3	Frt.	H	633	87	134	134	116	81	81	13.6	4.2	13.7	19.6	4.0	55.1																
	3S2	Frt.	H	490	89	116	117	84	84		10.6	4.2	20.6	4.2		39.6																
	3-3	Frt.	H	693	82	139	138	152	90	92	13.6	4.3	13.6	19.6	4.2	55.3															B-D	1.9
	3S2	Eggs	P	643	90	152	152	124	125		10.9	4.3	24.2	4.0		43.4														1.9	A-E	1.9
	3-2	Empty	H	316	82	67	68	51	48		16.7	4.3	17.4	17.1		55.5																
	3-2	Empty	H	292	77	57	58	50	50		15.6	4.2	16.5	19.3		55.6																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M S AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	2S2	Pigs	H	535	87	173	137	138			12.2	19.2	4.0			35.4																
	3	Lumber	P	304	59	123	122				14.3	3.6				17.9																
	3-2	Empty	H	298	76	62	63	52	45		16.0	4.3	16.3	18.4		55.0																
	3S2	Empty	P	352	86	76	77	56	57		15.8	4.4	28.7	4.2		53.1																
	2S2	Frt.	H	531	100	133	149	149			13.6	19.5	4.1			37.2																
	3S2	Empty	P	306	90	67	67	41	41		18.3	4.3	25.2	4.2		52.0																
	3-3	Empty	H	337	80	61	62	55	39	40	13.6	4.2	13.6	19.6	4.2	55.2																
	2S2	Cattle	H	411	63	135	106	107			13.9	19.0	4.0			36.9																
	2S1	Cattle	H	371	61	154	156				13.9	23.4				37.3																
	3S2	Beer	P	388	87	96	95	50	50		10.3	4.2	20.2	4.2		38.9																
	3-2	Empty	H	295	82	59	58	49	47		13.6	4.3	18.2	20.0		56.1																
	2D	Mach.	P	230	26	204					14.8					14.8	13.3								13.3							
	2S1	Furn.	H	334	53	146	135				11.0	25.7				36.7																
	2S1	Furn.	H	390	77	157	156				9.1	28.7				37.8																
	3S2	Groc.	P	637	85	146	146	130	130		14.9	4.4	22.9	4.0		46.2														B-E	3.2
	2S1	Furn.	H	321	57	134	129				11.1	24.6				35.7																
	3	Lumber	P	372	62	155	155				14.5	4.0				18.5																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOTAL WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR MORE AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	2S2	Lumber	P	431	51	149	116	115			13.1	19.2	4.4			36.7																
	3S2	Mach.	P	641	102	135	135	135	134		14.8	4.3	24.1	4.2		47.4																
	3-3	Frt.	H	488	90	135	135	53	37	38	13.6	4.4	13.6	19.6	4.2	55.4																
	3S2	Corn	P	622	72	130	131	144	145		12.2	4.2	31.2	4.2		51.8																
	3S1	Mach.	P	400	45	86	87	182			10.6	3.7	20.4			34.7			1.1								1.1					
	3-3	Frt.	H	469	95	103	103	78	45	45	13.6	4.2	13.6	19.6	4.2	55.2																
	3S2	Empty	P	311	86	67	67	45	46		17.5	4.3	24.9	4.2		50.4																
	2S1	Furn.	H	323	49	136	138				11.7	23.8				35.5																
	3	Brick	P	342	57	142	143				14.8	4.0				18.8																
	3-2	Empty	H	304	85	61	61	51	46		15.9	4.2	18.7	16.0		54.8																
	2-3	Empty	H	300	79	81	52	44	44		15.2	13.0	15.5	4.2		47.9																
	3S2	Empty	P	281	84	54	53	45	45		16.4	4.3	23.7	4.0		48.4																
	3S2	Empty	P	308	86	67	67	44	44		16.2	4.3	23.0	4.0		47.5																
	3S2	Empty	P	286	81	63	63	39	40		17.0	4.5	24.3	4.0		49.8																
	3S2	Frt.	H	343	88	77	78	50	50		15.5	4.0	22.5	4.0		46.0																
	3S2	Frt.	H	610	80	122	123	142	143		14.6	5.0	24.8	4.0		48.4																
	3S2	Groc.	P	542	94	108	109	116	115		11.3	4.2	28.0	4.2		47.7																

Note: Axle Loads and Total Weight to nearest 100 Pounds.

TABLE W-6

STATE OF MONTANA

LISTING SHOWING TOT WEIGHT, AXLE LOADS AND AXLE SPACING OF TRUCKS AND TRUCK COMBINATIONS WITH ONE OR M AXLES WEIGHING 18,000 POUNDS OR MORE, ALSO SINGLE-UNIT TRUCKS AND TRUCK COMBINATIONS WEIGHING 13 TONS OR MORE AT 11 LOADOMETER STATIONS DURING THE PERIOD FROM AUGUST 3 TO SEPTEMBER 4, 1953.

STATION NUMBER	VEHICLE TYPE DESIGNATION	COMMODITY CARRIED	PRIVATE OR FOR-HIRE	TOTAL WEIGHT	AXLE LOADS						AXLE SPACING						PERCENTAGE OVER STATE LAW								PERCENTAGE OVER A.A.S.H.O.							
																	AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP		AXLE LOAD					GROSS WEIGHT	MAXIMUM AXLEGROUP	
					A	B	C	D	E	F	A-B	B-C	C-D	D-E	E-F	WHEEL BASE	B	C	D	E	F		AXLE GROUP	PER CENT	B	C	D	E	F		AXLE GROUP	PER CENT
											FT.	FT.	FT.	FT.	FT.	FT.																
11	3S2	Empty	P	311	95	66	66	42	42		19.7	4.5	23.0	4.3		51.5																
	3S2	Flour	P	526	83	122	122	100	99		15.7	4.4	22.9	4.2		47.2																
	2S1	Frt.	H	266	49	121	96				12.9	19.8				32.7																
	2S2	Frt.	H	532	70	183	139	140			12.3	18.5	4.2			35.0	1.7								1.7							
	2S1	Groc.	P	408	52	175	181				10.8	14.8				25.6		0.6								0.6						
	2S2	Sheep	H	322	61	107	77	77			13.9	19.0	4.0			36.9																
	2S1	Pigs	P	334	60	132	142				13.9	23.4				37.3																
	3S2	Frt.	H	510	91	96	96	114	113		10.6	4.2	20.6	4.2		39.6																
	3-3	Frt.	H	676	90	147	148	123	84	84	13.6	4.4	13.6	19.6	4.4	55.6																
	3S2	Frt.	H	368	86	90	90	51	51		16.3	4.2	22.3	4.0		46.8																
	3-3	Frt.	H	486	91	102	102	75	58	58	13.7	4.3	13.7	19.7	4.4	55.8																
	2S1	Furn.	P	311	49	144	118				13.3	25.0				38.3																

Note: Axle Loads and Total Weight to nearest 100 Pounds.



LEGEND

② = LOADOMETER STATIONS

= CONTROL SECTIONS

MAP OF

MONTANA

SHOWING

LOCATIONS OF LOADOMETER STATIONS

AND

CORRESPONDING CONTROL SECTIONS

PREPARED BY

STATE HIGHWAY PLANNING SURVEY

IN COOPERATION WITH

U. S. DEPARTMENT OF COMMERCE

BUREAU OF PUBLIC ROADS

SEPT. 1, 1950